Index to Volume 58

January–June, 1983

Author Index

ABBOUD CF. *See* Laws ER Jr, 685
ABE H. *See* Isu T, 451
ADAMS CBT. *See* Sagar HJ, 280
ADEGBITE AB, KHAN MI, PAINE KWE, TAN LK. The recurrence of intracranial meningiomas after surgical treatment, 51
———, PAINE KWE, ROZDILSKY B. The role of neomembranes in formation of hematoma around Silastic dura substitute. Case report, 295
AHAGON A, YOSHIDA Y, KUSUNO K, UNO T. Suprasellar germinoma in association with Klinefelter's syndrome. Case report, 136
ALBANESE V, SPADARO A, IANNOTTI F, PICOZZI P, TOMASELLO F, CIOFFI FA. Elastic tissue dysplasia of coiled internal carotid artery in an adult. Case report, 781
ALBIACH VJ. *See* Alvarez-Garijo JA, 583
ALLEN S. *See* Drayer BP, 531
ALVAREZ-GARIJO JA, ALBIACH VJ, VILA MM, MULAS F, ESQUEMBRE V. Precocious puberty and hypothalamic hamartoma with total recovery after surgical treatment. Case report, 583
ARIENTA C. Occurrence of meningioma 36 years after treatment for craniopharyngioma without radiation therapy. Case report, 947
ARVIN AM. *See* Steinberg GK, 598
ASARI S. *See* Satoh T, 949
AUSMAN JI, PEARCE JE, DE LOS REYES RA, SCHANZ G. Treatment of a high extracranial carotid artery aneurysm with CCA-MCA bypass and carotid ligation. Case report, 421
AWAD I, LITTLE JR, LUCAS F, SKRINSKA V, SLUGG R, LESSER RP. Modification of focal cerebral ischemia by prostacyclin and indomethacin, 714

BACHS A. *See* Bladé J, 438
BAKAY RAE, WARD AA JR. Enzymatic changes in serum and cerebrospinal fluid in neurological injury, 27
BAKER RP, GRUBB RL JR. Complete fracture-dislocation of cervical spine without permanent neurological sequelae. Case report, 760
BARBA D. *See* Marshall LF, 566
BÁRCENA A. *See* Cordobés F, 217
BARGER GR. *See* Rosenblum ML, 170
BARROW DL, NAHAI F, FLEISCHER AS. Use of free latissimus dorsi musculocutaneous flaps in various neurosurgical disorders, 252
BATES M. *See* Drayer BP, 531
BEAN JR. *See* Rapp RP, 906
———. *See* Young B, 231; 236
BEATTIE EJ JR. *See* Sundaresan N, 666
BEATTY RA. Cervical-peritoneal shunt. Letters, 628
BECKER DH. *See* Helle TL, 593
BECKER DP. *See* Hayes RL, 720
BECKER LE. *See* Park TS, 543
BENJAMIN V. Book review, 969
BENOIT B. *See* Mohr G, 482
———. *See* Wheelock B, 476
BERENSTEIN A. *See* Chalif DJ, 112
BERNSTEIN RA, GRUMET KA, WETZEL N. Metastasis of prostatic carcinoma to intracranial meningioma. Case report, 774
BIALAS J. *See* Majchrzak H, 771
BISARIA KK. Developmental defects of the tentorium cerebelli, 402
BIVINS BA. *See* Rapp RP, 906
BLAAUW-VAN DISHOECK M. *See* Braakman R, 326
BLACK PMcL. *See* Liszczak TM, 18
———. *See* Varsos VG, 11
BLADÉ J, GASTÓN F, MONTSERRAT E, MARÍN P, GRAÑENA A, BACHS A, ROZMAN C. Spinal subarachnoid hematoma after lumbar puncture causing reversible paraplegia in acute leukemia. Case report, 438
BLASBERG RG, MOLNAR P, HOROWITZ M, KORNBLITH P, PLEASANTS R, FENSTERMACHER J. Regional blood flow in RT-9 brain tumors, 863
———. *See* Molnar P, 874
BLOCK B. *See* Yu YJ, 109
BOARINI DJ. *See* Kassell NF, 69; 77
BOGGAN JE, DAVIS RL, ZORMAN G, WILSON CB. Intrasellar epidermoid cyst. Case report, 411
BOLES D. Multiple giant hydatid brain cysts. Letter, 460
BORN JD. *See* Hans P, 689
BOURKE RS. Book review, 788
BOUWHUIS-HOOGERWERF ML. *See* van der Sande JJ, 693
BOWERS SA. *See* Marshall LF, 566
BRAAKMAN R, SCHOUTEN HJA, BLAAUW-VAN DISHOECK M, MINDERHOUD JM. Megadose steroids in severe head injury. Results of a prospective double-blind clinical trial, 326
———. *See* Maas AIR, 321
BRANT-ZAWADZKI M. *See* Kelly W, 851
BRAUGHLER JM, HALL ED. Uptake and elimination of methylprednisolone from contused cat spinal cord following intravenous injection of the sodium succinate ester, 538
BRITT RH. *See* Steinberg GK, 598
BROCK M. *See* Schramm J, 734
BROWN FD. *See* McIlhany MP, 356
BUCHHEIT WH. Book review, 147
BURCHIEL KJ. Book review, 971
———, SHAW CM, KELLY WA. A mixed functional microadenoma and ganglioneuroma of the pituitary fossa. Case report, 416
BURGER PC, DUBOIS PJ, SCHOLD SC JR, SMITH KR JR, ODOM GL, CRAFTS DC, GIANGASPERO F. Computerized tomographic and pathologic studies of the untreated, quiescent, and recurrent glioblastoma multiforme, 159
BURKEL WE. *See* Ercius MS, 708

CALVERT JM. *See* Leaney BJ, 580
CAMINS MB. *See* Nakamura S, 198
CARDOSO ER. *See* Peterson EW, 338; 345
CARMEL PW. Book review, 621
CELLI P. *See* Palma L, 763
CHALIF DJ, FLAMM ES, BERENSTEIN A, CHOI IS. Microsurgical removal of a balloon embolus to the internal carotid artery. Case report, 112

CHAN RC, SCHWEIGEL JF, THOMPSON GB. Halo-thoracic brace immobilization in 188 patients with acute cervical spine injuries, 508

CHANDLER WF. *See* Dempsey RJ, 932

———. *See* Ercius MS, 708

CHAPELLE JP. *See* Hans P, 689

CHIBA Y. Cerebrospinal fluid edema. Letters, 625

CHIU MC. *See* Schutz H, 553

CHOI IS. *See* Chalif DJ, 112

CHOU SN. Book review, 454

———. *See* Mawk JR, 270

CIESIELSKI TE, FUKUDA Y, GLENN WWL, GORFIEN J, JEFFERY K, HOGAN JF. Response of the diaphragm muscle to electrical stimulation of the phrenic nerve. A histochemical and ultrastructural study, 92

CILLUFFO JM. Book review, 790

CIOFFI FA. *See* Albanese V, 781

COBB CA III, FUNG D. Quantitative analysis of lesion parameters in radiofrequency trigeminal rhizotomy, 388

COCHRANE D. *See* Wheelock B, 476

COCHRANE DD, MYLES ST. Management of intrauterine hydrocephalus. Letters, 793

COLDWELL D. *See* Page RB, 766

COLE DS. *See* Kim JH, 84

CONNER ES, LORENZO AV, WELCH K, DORVAL B. The role of intracranial hypotension in neonatal intraventricular hemorrhage, 204

COOPER DR. *See* Yu YJ, 109

COOPER IS. Book review, 790

CORDOBÉS F, DE LA FUENTE M, LOBATO RD, ROGER R, PÉREZ C, MILLÁN JM, BÁRCENA A, LAMAS E. Intraventricular hemorrhage in severe head injury, 217

COSGROVE GR, VILLEMURE JG, MELANÇON D. Traumatic intracranial aneurysm due to arterial injury at surgery. Case report, 291

COULAM CB. *See* Laws ER Jr, 685

COWIE R, WILLIAMS B. Late seizures and morbidity after subdural empyema, 569

CRAFTS DC. *See* Burger PC, 159

CRISCO JJ. *See* Kun LE, 1

CULVER CM. *See* Ferrell RB, 374

DA COSTA V. Slit ventricle syndrome. Letter, 456

DAUGAARD S. Ectopic meningioma of a finger. Case report, 778

DAVIS RL. *See* Boggan JE, 411

DAY AL. *See* Hudgins RJ, 381

DE LA FUENTE M. *See* Cordobés F, 217

DE LOS REYES RA. *See* Ausman JI, 421

DE SOLA RG. *See* Vaquero J, 139

DE TRIBOLET N. *See* Rosenblum ML, 170

DEBRUN GM. *See* Viñuela FV, 817

DECIMA EE. *See* Scremin OU, 742

DEMPSEY RJ, CHANDLER WF, SAUDER SE. Surgically reversible hypothalamic hypopituitarism due to aqueductal stenosis. Case report, 932

DINNER DS. *See* Lueders H, 855

DOI K. *See* Patronas NJ, 650

DOLENC V. Direct microsurgical repair of intracavernous vascular lesions, 824

DOLMAN CL. Book review, 619

DÖRHEIDE J. *See* Hoyer HE, 729

DORVAL B. *See* Conner ES, 204

DOUGHERTY DV. *See* Gerosa MA, 368

———. *See* Rosenblum ML, 170; 177

DRAGAN T. *See* Majchrzak H, 771

DRAKE CG. *See* Gács G, 63

———. *See* Viñuela FV, 287

DRAYER BP, VASSALLO C, SUDILOVSKY A, LUTHER JS, WILKINS RH, ALLEN S, BATES M. A double-blind clinical trial of iopamidol versus metrizamide for lumbosacral myelography, 531

DUBOIS PJ. *See* Burger PC, 159

DUNCAN CC. *See* Ment LR, 857

DURITY F. *See* Wheelock B, 476

DUTTON J. *See* Paul KS, 183

DYCK P. Book review, 622

———. The femoral stretching test. Letters, 626

EBERSOLD MJ, LAWS ER JR, SCHEITHAUER BW, RANDALL RV. Pituitary apoplexy treated by transsphenoidal surgery. A clinicopathological and immunocytochemical study, 315

ENDTZ LJ. *See* Tijssen CC, 310

ENZMANN DR. *See* Steinberg GK, 598

ERBENGİ A. *See* Selekler K, 133

ERCIUS MS, CHANDLER WF, FORD JW, BURKEL WE. Early versus delayed heparin reversal after carotid endarterectomy in the dog. A scanning electron microscopy study, 708

ERICKSON DL. *See* Mawk JR, 270

ESQUEMBRE V. *See* Alvarez-Garijo JA, 583

ESTRIDGE MN. The femoral stretching test. Letters, 626

FADEN AI. *See* Hallenbeck JM, 749

FAHY G. *See* Williams B, 188

FEINSOD M. *See* Findler G, 303

FENSTERMACHER J. *See* Blasberg RG, 863

———. *See* Molnar P, 874

FERGUSON G. *See* Mohr G, 482

———. *See* Wheelock B, 476

FERRELL RB, CULVER CM, TUCKER GJ. Psychosocial and cognitive function after commissurotomy for intractable seizures, 374

FEWER D. *See* Wheelock B, 476

FINDLER G, FEINSOD M, LIJOVETZKY G, HADANI M. Transient global amnesia associated with a single metastasis in the nondominant hemisphere. Case report, 303

FINLAY JL. *See* Steinberg GK, 598

FLAMM ES. Book review, 789

———. *See* Chalif DJ, 112

FLEISCHER AS. *See* Barrow DL, 252

———. *See* Ghani GA, 562

FODE NC. *See* Laws ER Jr, 685

FORD JW. *See* Ercius MS, 708

FORTNER JG. *See* Sundaresan N, 446

FOX AJ. *See* Gács G, 63

———. *See* Viñuela FV, 287; 817

FRANK F. *See* Pozzati E, 937

FRASER RAR. *See* Voorhies RM, 144

FREWIN DB. *See* North JB, 672

FUGL-MEYER AR. *See* Laitinen LV, 895

FUJII T. *See* Itakura T, 117

———. *See* Yamashita M, 120

FUJIMOTO S, MURAKAMI M. Anomalous branch of the internal carotid artery supplying circulation of the anterior cerebral artery. Case report, 941

FUJITA S. *See* Wakabayashi T, 488

FUKUDA Y. *See* Ciesielski TE, 92

———. *See* Kim JH, 84

FUNG D. *See* Cobb CA III, 388

FURUI T, ICHIHARA K, IKEDA A, INAO S, HIRAI N, YOSHIDA J, KAGEYAMA N. Subdural hematoma associated with disseminated intravascular coagulation in patients with advanced cancer, 398

Index

GÁCS G, VIÑUELA FV, FOX AJ, DRAKE CG. Peripheral aneurysms of the cerebellar arteries. Review of 16 cases, 63
GAIST G. *See* Pozzati E, 937
GALICICH JH. *See* Sundaresan N, 666
GALINAT BJ. *See* Hayes RL, 720
GALLEGO JH. *See* Gonzalez AC, 456
GARCIA-BENGOCHEA F. *See* Hudgins RJ, 381
GARZA-MERCADO R. Diastematomyelia and intramedullary epidermoid spinal cord tumor combined with extradural teratoma in an adult. Case report, 954
GASTÓN F. *See* Bladé J, 438
GENNARELLI TA. Book review, 968
GEROSA MA, DOUGHERTY DV, WILSON CB, ROSENBLUM ML. Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
———. *See* Rosenblum ML, 170; 177
GHANI GA, SUNG YF, WEINSTEIN MS, TINDALL GT, FLEISCHER AS. Effects of intravenous nitroglycerin on the intracranial pressure and volume pressure response, 562
GIANGASPERO F. *See* Burger PC, 159
GIBBY WA, KOERBER HR, HORCH KW. A quantitative evaluation of suture and tubulization nerve repair techniques, 574
GLENN WWL. *See* Ciesielski TE, 92
———. *See* Kim JH, 84
GONZALEZ AC, GALLEGO JH, SANCHEZ AP. Brain-stem hematomas. Letters, 456
GONZALEZ-CARVAJAL M. *See* Hayashi N, 516; 526
GORDON AG. Spontaneous extradural hematoma. Letters, 794
GORDON P. *See* Weir B, 242
GORFIEN J. *See* Ciesielski TE, 92
GRAF CJ, PERRET GE, TORNER JC. Bleeding from cerebral arteriovenous malformations as part of their natural history, 331
GRAÑENA A. *See* Bladé J, 438
GRAVES VB. *See* Schemm GW, 627
GREEN BA. *See* Hayashi N, 516; 526
GREEN RP. *See* O'Connor PS, 792
GRISOLI F. *See* Leclercq TA, 678; 682
GRUBB RL JR. Report of the Research Subcommittee of the Joint Committee on Education of the American Association of Neurological Surgeons and the Congress of Neurological Surgeons. Letter, 150
———. *See* Baker RP, 760
GRUMET KA. *See* Bernstein RA, 774
GRUNDY BL. Monitoring of auditory evoked potentials. Letters, 460
GULATI SM, PUGH JE, WHITEHOUSE WM JR, STANLEY JC. Paroxysmal positional nystagmus in innominate and subclavian arterial occlusive disease. Case report, 443

HAACK D. *See* Rapp RP, 906
———. *See* Young B, 231; 236
HADANI M. *See* Findler G, 303
HAHN J. *See* Lueders H, 855
HALL ED. *See* Braughler JM, 538
HALLENBECK JM, JACOBS TP, FADEN AI. Combined PGI_2, indomethacin, and heparin improves neurological recovery after spinal trauma in cats, 749
HALPRIN MR. *See* Tijssen CC, 310
HAN DH. *See* Varsos VG, 11
HANBERY JW. *See* Helle TL, 593
HANIEH A. *See* North JB, 672
HANS P, BORN JD, CHAPELLE JP, MILBOUW G. Creatine kinase isoenzymes in severe head injury, 689
HARA M, KADOWAKI C, KONISHI Y, OGASHIWA M, NUMOTO M, TAKEUCHI K. A new method for measuring cerebrospinal fluid flow in shunts, 557
HATASHITA S, SAKAKIBARA T, ISHII S. Lipoma of the insula. Case report, 300
HAYAKAWA T. *See* Taneda M, 440
HAYASHI N, GREEN BA, GONZALEZ-CARVAJAL M, MORA J, VERAA RP. Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 1: Oxygen metabolism and neuronal function, 516
———, ———, ———, ———, ———. Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 2: Relation to segmental level, 526
HAYASHI S. *See* Itakura T, 117
HAYES RL, GALINAT BJ, KULKARNE P, BECKER DP. Effects of naloxone on systemic and cerebral responses to experimental concussive brain injury in cats, 720
HEALD JI. *See* Page RB, 766
HEGEDÜS K, MOLNÁR P. Primary cerebellar glioblastoma multiforme with an unusually long survival. Case report, 589
HEIMBECKER RO. Long-term indwelling brain cannula. Letter, 459
HEKMATPANAH J. *See* Patronas NJ, 650
HELLE TL, HANBERY JW, BECKER DH. Meningeal malignant fibrous histiocytoma arising from a thoracolumbar myelomeningocele. Case report, 593
HENDRICK EB. *See* Park TS, 543
———. *See* Smith HP, 392
HEROS RC. *See* Varsos VG, 11
HILARIS BS. *See* Sundaresan N, 446
HIRAI N. *See* Furui T, 398
HOCHWALD GM. *See* Nakamura S, 198
HOFFMAN HJ. *See* Park TS, 543
HOGAN JF. *See* Ciesielski TE, 92
———. *See* Kim JH, 84
HORCH KW. *See* Gibby WA, 574
HOROWITZ M. *See* Blasberg RG, 863
———. *See* Molnar P, 874
HOYER HE, DÖRHEIDE J. A study of human head vibrations using time-averaged holography, 729
HUDGINS RJ, DAY AL, QUISLING RG, RHOTON AL JR, SYPERT GW, GARCIA-BENGOCHEA F. Aneurysms of the posterior inferior cerebellar artery. A clinical and anatomical analysis, 381
HUGOSSON R. *See* Sjölander U, 7
HUMPHREYS RP. *See* Park TS, 543
HUNTER M. *See* Wheelock B, 476

IANNOTTI F. *See* Albanese V, 781
ICHIHARA K. *See* Furui T, 398
IKEDA A. *See* Furui T, 398
ILGREN EB. *See* Sagar HJ, 280
INAO S. *See* Furui T, 398
ISHII R, KOIKE T, TAKEUCHI S, OHSUGI S, TANAKA R, KONNO K. Anastomosis of the superficial temporal artery to the distal anterior cerebral artery with interposed cephalic vein graft. Case report, 425
ISHII S. *See* Hatashita S, 300
ISU T, MIYASAKA K, ABE H, ITO T, IWASAKI Y, TSURU M, KITAOKA K, TSUNODA M. Atlantoaxial dislocation associated with neurofibromatosis. Report of three cases, 451
ITAKURA T. Aminergic and cholinergic innervations of the spinal cord blood vessels of cats. A histochemical study, 900
———, OZAKI F, NAKAI E, FUJII T, HAYASHI S, KOMAI N. Bilateral aneurysm formation developing from junctional dilatation (infundibulum) of the posterior communicating arteries. Case report, 117
ITO T. *See* Isu T, 451
IWASAKI Y. *See* Isu T, 451

JACOBS TP. *See* Hallenbeck JM, 749
JEFFERY K. *See* Ciesielski TE, 92
JOHNS LM. *See* McIlhany MP, 356

JOOMA R, KENDALL BE. Diagnosis and management of pineal tumors, 654
JUDICE DJ. *See* Kline DG, 631

KADOWAKI C. *See* Hara M, 557
KAGAWA M, TAKESHITA M, YATŌ S, KITAMURA K. Brain abscess in congenital cyanotic heart disease, 913
———. *See* Sano K, 223
KAGEYAMA N. *See* Furui T, 398
KAHN I. *See* Sandyk R, 298
KAMEYAMA M. *See* Sano K, 223
KAN S. *See* Viñuela FV, 287; 817
KANEKO M, TANAKA K, SHIMADA T, SATO K, UEMURA K. Long-term evaluation of ultra-early operation for hypertensive intracerebral hemorrhage in 100 cases, 838
KAO MC. Sedimentation level in chronic subdural hematoma visible on computerized tomography, 246
KAPP JP, ROSS RL, TUCKER EM. Supraophthalmic carotid infusion for brain-tumor chemotherapy. Technical note, 616
KARUNARATNE ER. *See* Osgood CP, 935
KASPI T. *See* Umansky F, 210
KASSELL NF, BOARINI DJ, OLIN JJ, SPROWELL JA. Cerebral and systemic circulatory effects of arterial hypotension induced by adenosine, 69
———, ———, SPROWELL JA, OLIN JJ. Pharmacologically induced profound arterial hypotension in the anesthetized dog, 77
KATAOKA K. *See* Taneda M, 440
KELLY W, BRANT-ZAWADZKI M, PITTS LH. Arterial injection-digital subtraction angiography, 851
KELLY WA. *See* Burchiel KJ, 416
KENDALL BE. *See* Jooma R, 654
KERBER CW, MANKE W. Trigeminal artery to cavernous sinus fistula treated by balloon occlusion. Case report, 611
KERR AE. *See* Mendelow AD, 45
KHAN MI. *See* Adegbite AB, 51
———. *See* Mohr G, 482
———. *See* Wheelock B, 476
KIM JH, MANUELIDIS EE, GLENN WWL, FUKUDA Y, COLE DS, HOGAN JF. Light and electron microscopic studies of phrenic nerves after long-term electrical stimulation, 84
KING LW, POST KD, YUST I, REICHLIN S. Suppression of cortisol secretion by low-dose dexamethasone testing in Cushing's disease. Case report, 129
KISTLER JP. *See* Liszczak TM, 18
———. *See* Varsos VG, 11
KITAMURA K. *See* Kagawa M, 913
———. *See* Sano K, 223
KITAOKA K. *See* Isu T, 451
KITO N, KOBAYASHI N, MORI N, KOHNO H. Ruptured aneurysm of the anterior spinal artery associated with pseudoxanthoma elasticum. Case report, 126
KLEM G. *See* Lueders H, 855
KLINE DG. Book review, 455
———, JUDICE DJ. Operative management of selected brachial plexus lesions, 631
KNILL-JONES RP. *See* Lindsay KW, 57
KOBAYASHI N. *See* Kito N, 126
KOBAYASHI S, SUGITA K, TANAKA Y, KYOSHIMA K. Infratentorial approach to the pineal region in the prone position: Concorde position. Technical note, 141
———. *See* Yokoh A, 918
KOERBER HR. *See* Gibby WA, 574
KOHNO H. *See* Kito N, 126
KOIKE T. *See* Ishii R, 425
KOKICH VG. *See* Nappen DL, 101
KOMAI N. *See* Itakura T, 117
KONISHI Y. *See* Hara M, 557
KONNO K. *See* Ishii R, 425
KORNBLITH P. *See* Blasberg RG, 863
KRANZLER LI. *See* Siqueira EB, 786
KULKARNE P. *See* Hayes RL, 720
KUN LE, MULHERN RK, CRISCO JJ. Quality of life in children treated for brain tumors. Intellectual, emotional, and academic function, 1
KUSUNO K. *See* Ahagon A, 136
KYLÄMARKULA S, RÖNNING O. Morphogenic potential of autogenous costal cartilage transplanted into the interparietal suture area of the rat, 755
KYOSHIMA K. *See* Kobayashi S, 141

LABADIE EL. Book review, 622
LAITINEN LV, NILSSON S, FUGL-MEYER AR. Selective posterior rhizotomy for treatment of spasticity, 895
LAMAS E. *See* Cordobés F, 217
LAMBRECHT R. *See* Ment LR, 857
LANDOLT AM. A new bipolar right-angled coagulation forceps for pituitary surgery. Technical note, 614
LANE JM. *See* Sundaresan N, 446
LANGFORD KH, VITEK JJ, ZEIGER E. Migration of detachable mini-balloon from the ICA causing occlusion of the MCA. Case report, 430
LASJAUNIAS P. Variations of the vertebral artery. Letters, 972
LAWS ER JR, FODE NC, RANDALL RV, ABBOUD CF, COULAM CB. Pregnancy following transsphenoidal resection of prolactin-secreting pituitary tumors, 685
———, WHAREN RE JR. Thrombosed arteriovenous malformations. Letters, 457
———. *See* Ebersold MJ, 315
LEANEY BJ, CALVERT JM. Tophaceous gout producing spinal cord compression. Case report, 580
LECLERCQ TA, GRISOLI F. Arterial blood supply of the normal human pituitary gland. An anatomical study, 678
———, ———. Avoidance of diabetes insipidus in transsphenoidal hypophysectomy. A modified technique of selective hypophysectomy, 682
LEE JF. *See* Marlin AE, 277
LEHMAN RAW. Book review, 970
LEIBROCK LG. Lipoma of the cerebellopontine angle. Letters, 627
LEIPZIG T. *See* McIlhany MP, 356
LESSER RP. *See* Awad I, 714
———. *See* Lueders H, 855
LEVIN HS. Book review, 147
LEVY WJ. Spinal evoked potentials from the motor tracts, 38
LEWIN ML. Sphenoethmoidal cephalocele with cleft palate: transpalatal versus transcranial repair. Report of two cases, 924
LEWIS AJ. *See* Tator CH, 406
LIJOVETZKY G. *See* Findler G, 303
LINDER M. Inhibition by dipyridamole of cerebral vasospasm induced *in vitro* by whole blood, 352
LINDGREN PG. *See* Sjölander U, 7
LINDSAY KW, TEASDALE GM, KNILL-JONES RP. Observer variability in assessing the clinical features of subarachnoid hemorrhage, 57
LISZCZAK TM, VARSOS VG, BLACK PMcL, KISTLER JP, ZERVAS NT. Cerebral arterial constriction after experimental subarachnoid hemorrhage is associated with blood components within the arterial wall, 18
———. *See* Varsos VG, 11
LITTLE JR. Book review, 146
———. *See* Awad I, 714
LOBATO RD. *See* Cordobés F, 217
———. *See* Rivas JJ, 458
LONG ET. *See* Senter HJ, 607
LORENZO AV. *See* Conner ES, 204
LUCAS F. *See* Awad I, 714

Index

LUEDERS H, LESSER RP, HAHN J, DINNER DS, KLEM G. Cortical somatosensory evoked potentials in response to hand stimulation, 855
LUTHER JS. *See* Drayer BP, 531
LYE RH. *See* Paul KS, 183

MAAS AIR, BRAAKMAN R, SCHOUTEN HJA, MINDERHOUD JM, VAN ZOMEREN AH. Agreement between physicians on assessment of outcome following severe head injury, 321
MAJCHRZAK H, WENCEL T, DRAGAN T, BIALAS J. Acute hemorrhage into pituitary adenoma with SAH and anterior cerebral artery occlusion. Case report, 771
MALLOY D. *See* Mohr G, 482
MANAKA S. *See* Sano K, 223
MANKE W. *See* Kerber CW, 611
MANN KS, YUE CP, ONG GB. Epidural hygroma of the posterior fossa. Case report, 586
MANUELIDIS EE. *See* Kim JH, 84
MARÍN P. *See* Bladé J, 438
MARKS SM. *See* Shaw MDM, 794
MARLIN AE, WILLIAMS GR, LEE JF. Jefferson fractures in children. Case report, 277
MARSHALL LF, BARBA D, TOOLE BM, BOWERS SA. The oval pupil: clinical significance and relationship to intracranial hypertension, 566
MARTIN NA. Book review, 306
MARTÍNEZ R. *See* Vaquero J, 139
MARTINS AN. Book review, 307
MATSUMOTO S. *See* Wakabayashi T, 488
MATSUO T. *See* Yamashita M, 120
MAWK JR. Vasospasm after pituitary surgery. Letter, 972
———, ERICKSON DL, CHOU SN, SELJESKOG EL. *Aspergillus* infections of the lumbar disc spaces. Report of three cases, 270
MAYFIELD FH. Intermittent exophthalmos. Letters, 458
MCILHANY MP, JOHNS LM, LEIPZIG T, PATRONAS NJ, BROWN FD, MULLAN SF. *In vivo* characterization of vasocontractile activities in erythrocytes, 356
MCLAURIN RL. *See* Sawaya R, 699
MEAGHER-VILLEMURE K. *See* Villemure JG, 602
MEIROWSKY AM. Book review, 789
———. Removal of retained bone fragments. Letters, 624
MELANÇON D. *See* Cosgrove GR, 291
MENDELOW AD, ROWAN JO, MURRAY L, KERR AE. A clinical comparison of subdural screw pressure measurements with ventricular pressure, 45
MENT LR, STEWART WB, DUNCAN CC, SCOTT DT, LAMBRECHT R. Beagle puppy model of intraventricular hemorrhage. Effect of indomethacin on cerebral blood flow, 857
MILBOUW G. *See* Hans P, 689
MILLÁN JM. *See* Cordobés F, 217
MINDERHOUD JM. *See* Braakman R, 326
———. *See* Maas AIR, 321
MIYASAKA K. *See* Isu T, 451
MOGAMI H. *See* Taneda M, 440
MOHR G, FERGUSON G, KHAN MI, MALLOY D, WATTS R, BENOIT B, WEIR B. Intraventricular hemorrhage from ruptured aneurysm. Retrospective analysis of 91 cases, 482
———. *See* Wheelock B, 476
MOLNAR P, BLASBERG RG, HOROWITZ M, SMITH B, FENSTERMACHER J. Regional blood-to-tissue transport in RT-9 brain tumors, 874
———. *See* Blasberg RG, 863
MOLNÁR P. *See* Hegedüs K, 589
MONGUL A. *See* Schutz H, 553
MONTANEZ JA. *See* Osgood CP, 935
MONTSERRAT E. *See* Bladé J, 438
MORA J. *See* Hayashi N, 516; 526
MORI N. *See* Kito N, 126
MULAS F. *See* Alvarez-Garijo JA, 583
MULHERN RK. *See* Kun LE, 1
MULLAN SF. *See* McIlhany MP, 356
MURAKAMI M. *See* Fujimoto S, 941
MURRAY L. *See* Mendelow AD, 45
MYLES ST. *See* Cochrane DD, 793

NAHAI F. *See* Barrow DL, 252
NAKAI E. *See* Itakura T, 117
NAKAMURA S, CAMINS MB, HOCHWALD GM. Pressure-absorption responses to the infusion of fluid into the spinal cord central canal of kaolin-hydrocephalic cats, 198
NAPPEN DL, KOKICH VG. Experimental craniosynostosis in growing rabbits. The role of the periosteum, 101
NILSSON S. *See* Laitinen LV, 895
NORDGREN R. Book review, 146
NORTH JB, PENHALL RK, HANIEH A, FREWIN DB, TAYLOR WB. Phenytoin and postoperative epilepsy. A double-blind study, 672
NORTON JA. *See* Young B, 231; 236
NUMOTO M. *See* Hara M, 557

O'CONNOR PS, TREDICI TJ, GREEN RP. Pupillary-sparing third nerve palsy due to aneurysm: a survey of 2419 neurological surgeons. Letter, 792
ODOM GL. *See* Burger PC, 159
OGASHIWA M. *See* Hara M, 557
———. *See* Sano K, 223
OHBORA Y. *See* Wakabayashi T, 488
OHSUGI S. *See* Ishii R, 425
OKADA Y, SHIMA T, OKI S, UOZUMI T. Experimental microsurgical embolectomy after middle cerebral artery embolization in the dog, 259
———, ———, YAMAMOTO M, UOZUMI T. Regional cerebral blood flow, sensory evoked potentials, and intracranial pressure in dogs with MCA occlusion by embolization or trapping, 500
———, ———, YOKOYAMA N, UOZUMI T. Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
OKI S. *See* Okada Y, 259
O'LAOIRE SA. Brain-stem hematomas. Letters, 456
OLIN JJ. *See* Kassell NF, 69; 77
ONG GB. *See* Mann KS, 586
ÖNOL B. *See* Selekler K, 133
OSBORNE D. Book review, 970
OSGOOD CP, MONTANEZ JA, KARUNARATNE ER, VANDEVANDER DJ. Endarterectomy for atheromatous hypoglossal artery. Case report, 935
ØSTERGAARD JR, VOLDBY B. Intracranial arterial aneurysms in children and adolescents, 832
OZAKI F. *See* Itakura T, 117
OZAKI K. *See* Taneda M, 440

PADOVANI R. *See* Pozzati E, 937
PAGE RB, PLOURDE PV, COLDWELL D, HEALD JI, WEINSTEIN J. Intrasellar mixed germ-cell tumor. Case report, 766
PAINE KWE. *See* Adegbite AB, 51; 295
PALMA L, CELLI P. Suprasellar epithelial cyst. Case report, 763
PARK TS, HOFFMAN HJ, HENDRICK EB, HUMPHREYS RP, BECKER LE. Medulloblastoma: clinical presentation and management.

Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
PARKINSON D. Book review, 148
PATIL A. Regression of arteriovenous malformations. Letter, 627
PATRONAS NJ, HEKMATPANAH J, DOI K. Brain-tumor imaging using radiopaque perfluorocarbon. A preliminary report, 650
———. *See* McIlhany MP, 356
PAUL KS, LYE RH, STRANG FA, DUTTON J. Arnold-Chiari malformation. Review of 71 cases, 183
PEARCE JE. *See* Ausman JI, 421
PENHALL RK. *See* North JB, 672
PÉREZ C. *See* Cordobés F, 217
PERRET GE. *See* Graf CJ, 331
PERROTTA G. *See* Sawaya R, 699
PERRY J. Rehabilitation of the neurologically disabled patient: principles, practice, and scientific basis, 799
PERTUISET BR. *See* Rosenblum ML, 170
PETERSON EW, CARDOSO ER. The blood-brain barrier following experimental subarachnoid hemorrhage. Part 1: Response to insult caused by arterial hypertension, 338
———, ———. The blood-brain barrier following experimental subarachnoid hemorrhage. Part 2: Response to mercuric chloride infusion, 345
PICOZZI P. *See* Albanese V, 781
PILLAI SM. *See* Rout D, 962
PITLYK PJ. Removal of retained bone fragments. Letters, 624
PITTS LH. *See* Kelly W, 851
PLEASANTS R. *See* Blasberg RG, 863
PLOURDE PV. *See* Page RB, 766
POST KD. *See* King LW, 129
POZZATI E, PADOVANI R, FRANK F, GAIST G. Leptomeningeal angiomatosis and aplasia congenita of the scalp. Case report, 937
PUGH JE. *See* Gulati SM, 443
PUNT J. Multiple cerebral gummata. Case report, 959

QUISLING RG. *See* Hudgins RJ, 381

RADHAKRISHNAN VV. *See* Rout D, 962
RANDALL RV. *See* Ebersold MJ, 315
———. *See* Laws ER Jr, 685
RAPP RP, YOUNG B, TWYMAN D, BIVINS BA, HAACK D, TIBBS PA, BEAN JR. The favorable effect of early parenteral feeding on survival in head-injured patients, 906
———. *See* Young B, 231; 236
REICHLIN S. *See* King LW, 129
REYNOLDS A. Femoral nerve injury. Letter, 459
RHOTON AL JR. *See* Hudgins RJ, 381
RIVAS JJ, LOBATO RD. Intermittent exophthalmos. Letters, 458
RIVLIN AS. *See* Tator CH, 406
ROBERTSON LT. Book review, 306
ROGER R. *See* Cordobés F, 217
ROGERS LA. Acute subdural hematoma and death following lateral cervical spinal puncture. Case report, 284
———. Variations of the vertebral artery. Letters, 972
RÖNNING O. *See* Kylämarkula S, 755
ROSEN G. *See* Sundaresan N, 446
ROSENBLUM ML, GEROSA MA, DOUGHERTY DV, WILSON CB. Improved treatment of a brain-tumor model. Part 1: Advantages of single- over multiple-dose BCNU schedules, 177
———, ———, WILSON CB, BARGER GR, PERTUISET BR, DE TRIBOLET N, DOUGHERTY DV. Stem cell studies of human malignant brain tumors. Part 1: Development of the stem cell assay and its potential, 170
———. *See* Gerosa MA, 368
ROSS RL. *See* Kapp JP, 616
ROTHMAN S. Book review, 620
ROUT D, PILLAI SM, RADHAKRISHNAN VV. Cervical intramedullary schwannoma. Case report, 962
ROWAN JO. *See* Mendelow AD, 45
ROZDILSKY B. *See* Adegbite AB, 295
ROZMAN C. *See* Bladé J, 438
RUGE D. Loyal Davis, M.D., 1896–1982, 473

SAGAR HJ, ILGREN EB, ADAMS CBT. Nevus of Ota associated with meningeal melanosis and intracranial melanoma. Case report, 280
SAKAKIBARA T. *See* Hatashita S, 300
SAKAMOTO H. *See* Yamashita M, 120
SAKURAI M. *See* Satoh T, 949
SANCHEZ AP. *See* Gonzalez AC, 456
SANDYK R, KAHN I. Parkinsonism due to subdural hematoma. Case report, 298
SANO K, MANAKA S, KITAMURA K, KAGAWA M, TAKEUCHI K, OGASHIWA M, KAMEYAMA M, TOHGI H, YAMADA H. Statistical studies on evaluation of mild disturbance of consciousness. Study of a simpler scale for clinical use, 223
SARIBAŞ O. *See* Selekler K, 133
SATO K. *See* Kaneko M, 838
SATOH T, YAMAMOTO Y, ASARI S, SAKURAI M, SUZUKI K. Disappearance and development of cerebral aneurysms in moyamoya disease. Case report, 949
SAUDER SE. *See* Dempsey RJ, 932
SAUNDERS RL. Book review, 968
SAVOIARDO M. *See* Vaghi MA, 435
SAWAYA R, SONNINO V, MCLAURIN RL, PERROTTA G. Monitoring of antifibrinolytic therapy following subarachnoid hemorrhage. The importance of CSF fibrin/fibrinogen degradation products, 699
SCHAFFER L. *See* Siqueira EB, 786
SCHANZ G. *See* Ausman JI, 421
SCHEITHAUER BW. *See* Ebersold MJ, 315
SCHEMM GW, GRAVES VB. Lipoma of the cerebellopontine angle. Letters, 627
SCHMOLL B. *See* Tator CH, 406
SCHOLD SC JR. *See* Burger PC, 159
SCHOUTEN HJA. *See* Braakman R, 326
———. *See* Maas AIR, 321
SCHRAMM J, SHIGENO T, BROCK M. Clinical signs and evoked response alterations associated with chronic experimental cord compression, 734
SCHUTZ H, TER BRUGGE KG, CHIU MC, MONGUL A, TAYLOR F. Determination of CSF shunt patency with a lumbar infusion test, 553
SCHWEIGEL JF. *See* Chan RC, 508
SCOTT DT. *See* Ment LR, 857
SCREMIN OU, DECIMA EE. Control of blood flow in the cat spinal cord, 742
SELEKLER K, ERBENGİ A, SARIBAŞ O, ÖNOL B. Giant calcified and ossified midbrain tuberculoma. Case report, 133
SELJESKOG EL. *See* Mawk JR, 270
SELMAN WR. Book review, 620
SENTER HJ, LONG ET. Subclavian to distal vertebral artery bypass. Case report, 607
SHALIT MN. *See* Umansky F, 210
SHAW CM. *See* Burchiel KJ, 416
SHAW MDM, MARKS SM. Spontaneous extradural hematoma. Letters, 794
SHIGENO T. *See* Schramm J, 734
SHIMA T. *See* Okada Y, 259; 492; 500
SHIMADA T. *See* Kaneko M, 838
SIQUEIRA EB, KRANZLER LI, SCHAFFER L. Intraoperative myelography. Technical note, 786

Index

SJÖLANDER U, LINDGREN PG, HUGOSSON R. Ultrasound sector scanning for the localization and biopsy of intracerebral lesions, 7
SKRINSKA V. *See* Awad I, 714
SLUGG R. *See* Awad I, 714
SMITH B. *See* Molnar P, 874
SMITH HP, HENDRICK EB. Subdural empyema and epidural abscess in children, 392
SMITH KR JR. *See* Burger PC, 159
SØGAARD I. Sciatic nerve entrapment. Case report, 275
SONNINO V. *See* Sawaya R, 699
SPADARO A. *See* Albanese V, 781
SPETZLER RF. Cervical-peritoneal shunt. Letters, 628
SPROWELL JA. *See* Kassell NF, 69; 77
STANLEY JC. *See* Gulati SM, 443
STEINBERG GK, BRITT RH, ENZMANN DR, FINLAY JL, ARVIN AM. *Fusarium* brain abscess. Case report, 598
STEWART WB. *See* Ment LR, 857
STRADA L. *See* Vaghi MA, 435
STRANG FA. *See* Paul KS, 183
SUDILOVSKY A. *See* Drayer BP, 531
SUGAR O. The femoral stretching test. Letters, 795
SUGITA K. *See* Kobayashi S, 141
———. *See* Yokoh A, 918
SUNDARESAN N, GALICICH JH, BEATTIE EJ JR. Surgical treatment of brain metastases from lung cancer, 666
———, ROSEN G, FORTNER JG, LANE JM, HILARIS BS. Preoperative chemotherapy and surgical resection in the management of posterior paraspinal tumors. Report of three cases, 446
SUNG YF. *See* Ghani GA, 562
SUYAMA T. *See* Wakabayashi T, 488
SUZUKI K. *See* Satoh T, 949
SYPERT GW. *See* Hudgins RJ, 381

TAARNHØJ P. Eduard Axel Valdemar Busch, M.D., 1899–1982, 313
TAKESHITA M. *See* Kagawa M, 913
TAKEUCHI K. *See* Hara M, 557
———. *See* Sano K, 223
TAKEUCHI S. *See* Ishii R, 425
TAMAKI N. *See* Wakabayashi T, 488
TAN LK. *See* Adegbite AB, 51
TANAKA K. *See* Kaneko M, 838
———. *See* Yamashita M, 120
TANAKA R. *See* Ishii R, 425
TANAKA Y. *See* Kobayashi S, 141
TANEDA M, WAKAYAMA A, OZAKI K, KATAOKA K, HAYAKAWA T, MOGAMI H. Biphasic occurrence of delayed ischemia after early aneurysm surgery. Case report, 440
TATOR CH, RIVLIN AS, LEWIS AJ, SCHMOLL B. Effect of triiodo-L-thyronine on axonal regeneration in the rat spinal cord after acute compression injury, 406
TAYLOR F. *See* Schutz H, 553
TAYLOR WB. *See* North JB, 672
TEASDALE GM. *See* Lindsay KW, 57
TER BRUGGE KG. *See* Schutz H, 553
THOMPSON GB. *See* Chan RC, 508
TIBBS PA. *See* Rapp RP, 906
———. *See* Young B, 231; 236
TIJSSEN CC, HALPRIN MR, ENDTZ LJ. International Register of Familial Brain Tumours. Letter, 310
TINDALL GT. *See* Ghani GA, 562
TOHGI H. *See* Sano K, 223
TOMASELLO F. *See* Albanese V, 781
TOOLE BM. *See* Marshall LF, 566
TORNER JC. *See* Graf CJ, 331
TREDICI TJ. *See* O'Connor PS, 792
TSUNODA M. *See* Isu T, 451
TSURU M. *See* Isu T, 451
TUCKER EM. *See* Kapp JP, 616
TUCKER GJ. *See* Ferrell RB, 374
TWYMAN D. *See* Rapp RP, 906

UEMURA K. *See* Kaneko M, 838
UMANSKY F, KASPI T, SHALIT MN. Regional cerebral blood flow in the acute stage of experimentally induced subarachnoid hemorrhage, 210
UNO T. *See* Ahagon A, 136
UOZUMI T. *See* Okada Y, 259; 492; 500

VAGHI MA, SAVOIARDO M, STRADA L. Unusual computerized tomography appearance of a carotid-cavernous fistula. Case report, 435
VAN BUREN JM. Book review, 147
VAN DER SANDE JJ, VELTKAMP JJ, BOUWHUIS-HOOGERWERF ML. Hemostasis and intracranial surgery, 693
VAN ZOMEREN AH. *See* Maas AIR, 321
VANDEVANDER DJ. *See* Osgood CP, 935
VAQUERO J, DE SOLA RG, MARTÍNEZ R. Lateral sinus pericranii. Case report, 139
VARSOS VG, LISZCZAK TM, HAN DH, KISTLER JP, VIELMA J, BLACK PMcL, HEROS RC, ZERVAS NT. Delayed cerebral vasospasm is not reversible by aminophylline, nifedipine, or papaverine in a "two-hemorrhage" canine model, 11
———. *See* Liszczak TM, 18
VASSALLO C. *See* Drayer BP, 531
VASSILGUTHIS J. Cerebrospinal fluid edema. Letters, 625
VELTKAMP JJ. *See* van der Sande JJ, 693
VENES JL. Management of intrauterine hydrocephalus. Letters, 793
VERAA RP. *See* Hayashi N, 516; 526
VIELMA J. *See* Varsos VG, 11
VILA MM. *See* Alvarez-Garijo JA, 583
VILLEMURE JG, MEAGHER-VILLEMURE K. Giant ossifying fibroma of the skull. Case report, 602
———. *See* Cosgrove GR, 291
VIÑUELA FV, DEBRUN GM, FOX AJ, KAN S. Detachable calibrated-leak balloon for superselective angiography and embolization of dural arteriovenous malformations, 817
———, FOX AJ, KAN S, DRAKE CG. Balloon occlusion of a spontaneous fistula of the posterior inferior cerebellar artery. Case report, 287
———. *See* Gács G, 63
VITEK JJ. *See* Langford KH, 430
VOLDBY B. *See* Østergaard JR, 832
VOORHIES RM, FRASER RAR. Fascial closure in low myelomeningocele repairs. Technical note, 144

WAKABAYASHI T, FUJITA S, OHBORA Y, SUYAMA T, TAMAKI N, MATSUMOTO S. Polycystic kidney disease and intracranial aneurysms. Early angiographic diagnosis and early operation for the unruptured aneurysm, 488
WAKAI S. Thrombosed arteriovenous malformations. Letters, 457
WAKAYAMA A. *See* Taneda M, 440
WARD AA JR. *See* Bakay RAE, 27
WATTS R. *See* Mohr G, 482
———. *See* Wheelock B, 476
WEINSTEIN J. *See* Page RB, 766
WEINSTEIN MS. *See* Ghani GA, 562
WEIR B, GORDON P. Factors affecting coagulation: fibrinolysis in chronic subdural fluid collections, 242

———. *See* Mohr G, 482
———. *See* Wheelock B, 476
WELCH K. Book review, 970
———. *See* Conner ES, 204
WELLENSTEIN DE. *See* Yu YJ, 109
WENCEL T. *See* Majchrzak H, 771
WETZEL N. *See* Bernstein RA, 774
WHAREN RE JR. *See* Laws ER Jr, 457
WHEELOCK B, WEIR B, WATTS R, MOHR G, KHAN MI, HUNTER M, FEWER D, FERGUSON G, DURITY F, COCHRANE D, BENOIT B. Timing of surgery for intracerebral hematomas due to aneurysm rupture, 476
WHITEHOUSE WM JR. *See* Gulati SM, 443
WHITTAKER CK. Monitoring of auditory evoked potentials. Letters, 460
WILBERGER JE JR. Lumbosacral radiculopathy secondary to abdominal aortic aneurysms. Report of three cases, 965
WILKINS RH. *See* Drayer BP, 531
WILLIAMS B, FAHY G. A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188
———. *See* Cowie R, 569
WILLIAMS GR. *See* Marlin AE, 277
WILSON CB. *See* Boggan JE, 411
———. *See* Gerosa MA, 368
———. *See* Rosenblum ML, 170; 177
WOOSLEY RE. Multiple secreting microadenomas as a possible cause of selective transsphenoidal adenomectomy failure. Case report, 267

YAMADA H. *See* Sano K, 223
YAMAMOTO M. *See* Okada Y, 500
YAMAMOTO S. *See* Yamashima T, 813
YAMAMOTO Y. *See* Satoh T, 949
YAMASHIMA T, YAMAMOTO S. Cerebral arterial pathology in experimental subarachnoid hemorrhage, 813
YAMASHITA M, TANAKA K, MATSUO T, YOKOYAMA K, FUJII T, SAKAMOTO H. Cerebral dissecting aneurysms in patients with moyamoya disease. Report of two cases, 120
YANAGIHARA T. *See* Yoshimine T, 362
YASHON D. Book review, 454
YATŌ S. *See* Kagawa M, 913
YOKOH A, SUGITA K, KOBAYASHI S. Intermittent versus continuous brain retraction. An experimental study, 918
YOKOYAMA K. *See* Yamashita M, 120
YOKOYAMA N. *See* Okada Y, 492
YOSHIDA J. *See* Furui T, 398
YOSHIDA Y. *See* Ahagon A, 136
YOSHIMINE T, YANAGIHARA T. Regional cerebral ischemia by occlusion of the posterior communicating artery and the middle cerebral artery in gerbils, 362
YOUNG B, RAPP RP, NORTON JA, HAACK D, TIBBS PA, BEAN JR. Failure of prophylactically administered phenytoin to prevent early posttraumatic seizures, 231
———, ———, ———, ———, ———, ———. Failure of prophylactically administered phenytoin to prevent late posttraumatic seizures, 236
———. *See* Rapp RP, 906
YU YJ, COOPER DR, WELLENSTEIN DE, BLOCK B. Cerebral angiitis and intracerebral hemorrhage associated with methamphetamine abuse. Case report, 109
YUE CP. *See* Mann KS, 586
YUST I. *See* King LW, 129

ZEIGER E. *See* Langford KH, 430
ZERVAS NT. *See* Liszczak TM, 18
———. *See* Varsos VG, 11
ZORMAN G. *See* Boggan JE, 411

Subject Index

Abscess
Brain abscess in congenital cyanotic heart disease, 913
Fusarium brain abscess. Case report, 598
Subdural empyema and epidural abscess in children, 392
Acetylcholinesterase
Aminergic and cholinergic innervations of the spinal cord blood vessels of cats. A histochemical study, 900
Adenoma
Acute hemorrhage into pituitary adenoma with SAH and anterior cerebral artery occlusion. Case report, 771
A mixed functional microadenoma and ganglioneuroma of the pituitary fossa. Case report, 416
Multiple secreting microadenomas as a possible cause of selective transsphenoidal adenomectomy failure. Case report, 267
Pregnancy following transsphenoidal resection of prolactin-secreting pituitary tumors, 685
Suppression of cortisol secretion by low-dose dexamethasone testing in Cushing's disease. Case report, 129
Adenomectomy
Multiple secreting microadenomas as a possible cause of selective transsphenoidal adenomectomy failure. Case report, 267
Adenosine
Cerebral and systemic circulatory effects of arterial hypotension induced by adenosine, 69
Pharmacologically induced profound arterial hypotension in the anesthetized dog, 77
Adolescents
Intracranial arterial aneurysms in children and adolescents, 832
Alpha-fetoprotein
Diagnosis and management of pineal tumors, 654
American Association of Neurological Surgeons
Report of the Research Subcommittee of the Joint Committee on Education of the American Association of Neurological Surgeons and the Congress of Neurological Surgeons. Letter, 150
Scientific Program: Annual Meeting of the American Association of Neurological Surgeons, April 24–28, 1983, 463
Amine
Aminergic and cholinergic innervations of the spinal cord blood vessels of cats. A histochemical study, 900
Aminoisobutyric acid
Regional blood-to-tissue transport in RT-9 brain tumors, 874
Aminophylline
Delayed cerebral vasospasm is not reversible by aminophylline, nifedipine, or papaverine in a "two-hemorrhage" canine model, 11
Amnesia
Transient global amnesia associated with a single metastasis in the non-dominant hemisphere. Case report, 303
Anastomosis
Anastomosis of the superficial temporal artery to the distal anterior cerebral artery with interposed cephalic vein graft. Case report, 425
Subclavian to distal vertebral artery bypass. Case report, 607
Treatment of a high extracranial carotid artery aneurysm with CCA-MCA bypass and carotid ligation. Case report, 421
Anatomical study
Aneurysms of the posterior inferior cerebellar artery. A clinical and anatomical analysis, 381
Arterial blood supply of the normal human pituitary gland. An anatomical study, 678
Aneurysm
Aneurysms of the posterior inferior cerebellar artery. A clinical and anatomical analysis, 381
Anomalous branch of the internal carotid artery supplying circulation of the anterior cerebral artery. Case report, 941
Bilateral aneurysm formation developing from junctional dilatation (infundibulum) of the posterior communicating arteries. Case report, 117
Biphasic occurrence of delayed ischemia after early aneurysm surgery. Case report, 440
Cerebral dissecting aneurysms in patients with moyamoya disease. Report of two cases, 120
Direct microsurgical repair of intracavernous vascular lesions, 824
Disappearance and development of cerebral aneurysms in moyamoya disease. Case report, 949
Intracranial arterial aneurysms in children and adolescents, 832
Intraventricular hemorrhage from ruptured aneurysm. Retrospective analysis of 91 cases, 482
Leptomeningeal angiomatosis and aplasia congenita of the scalp. Case report, 937
Lumbosacral radiculopathy secondary to abdominal aortic aneurysms. Report of three cases, 965
Migration of detachable mini-balloon from the ICA causing occlusion of the MCA. Case report, 430
Observer variability in assessing the clinical features of subarachnoid hemorrhage, 57
Peripheral aneurysms of the cerebellar arteries. Review of 16 cases, 63
Polycystic kidney disease and intracranial aneurysms. Early angiographic diagnosis and early operation for the unruptured aneurysm, 488
Pupillary-sparing third nerve palsy due to aneurysm: a survey of 2419 neurological surgeons. Letter, 792
Ruptured aneurysm of the anterior spinal artery associated with pseudoxanthoma elasticum. Case report, 126
Timing of surgery for intracerebral hematomas due to aneurysm rupture, 476
Traumatic intracranial aneurysm due to arterial injury at surgery. Case report, 291
Treatment of a high extracranial carotid artery aneurysm with CCA-MCA bypass and carotid ligation. Case report, 421
Angiitis
Cerebral angiitis and intracerebral hemorrhage associated with methamphetamine abuse. Case report, 109
Angiography
Arterial injection-digital subtraction angiography, 851
Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
Detachable calibrated-leak balloon for superselective angiography and embolization of dural arteriovenous malformations, 817
In vivo characterization of vasocontractile activities in erythrocytes, 356
Polycystic kidney disease and intracranial aneurysms. Early angiographic diagnosis and early operation for the unruptured aneurysm, 488
Regression of arteriovenous malformations. Letter, 627
Thrombosed arteriovenous malformations. Letters, 457
Angioma
Lateral sinus pericranii. Case report, 139

Anomalous artery
Acute subdural hematoma and death following lateral cervical spinal puncture. Case report, 284
Anomalous branch of the internal carotid artery supplying circulation of the anterior cerebral artery. Case report, 941
Variations of the vertebral artery. Letters, 972
Anterior cerebral artery
Acute hemorrhage into pituitary adenoma with SAH and anterior cerebral artery occlusion. Case report, 771
Anastomosis of the superficial temporal artery to the distal anterior cerebral artery with interposed cephalic vein graft. Case report, 425
Anterior spinal artery
Ruptured aneurysm of the anterior spinal artery associated with pseudoxanthoma elasticum. Case report, 126
Anticonvulsant drugs
Failure of prophylactically administered phenytoin to prevent early posttraumatic seizures, 231
Failure of prophylactically administered phenytoin to prevent late posttraumatic seizures, 236
Intracranial arterial aneurysms in children and adolescents, 832
Antifibrinolytic therapy
Monitoring of antifibrinolytic therapy following subarachnoid hemorrhage. The importance of CSF fibrin/fibrinogen degradation products, 699
Aortic aneurysm
Lumbosacral radiculopathy secondary to abdominal aortic aneurysms. Report of three cases, 965
Aplasia cutis congenita
Leptomeningeal angiomatosis and aplasia congenita of the scalp. Case report, 937
Apoplexy
Long-term evaluation of ultra-early operation for hypertensive intracerebral hemorrhage in 100 cases, 838
Pituitary apoplexy treated by transsphenoidal surgery. A clinicopathological and immunocytochemical study, 315
Aqueductal stenosis
Surgically reversible hypothalamic hypopituitarism due to aqueductal stenosis. Case report, 932
Arachnoiditis
A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188
Arnold-Chiari deformity
Arnold-Chiari malformation. Review of 71 cases, 183
Arterial occlusion
Microsurgical removal of a balloon embolus to the internal carotid artery. Case report, 112
Regional cerebral ischemia by occlusion of the posterior communicating artery and the middle cerebral artery in gerbils, 362
Arterial stenosis
Endarterectomy for atheromatous hypoglossal artery. Case report, 935
Arteriovenous fistula
Balloon occlusion of a spontaneous fistula of the posterior inferior cerebellar artery. Case report, 287
Trigeminal artery to cavernous sinus fistula treated by balloon occlusion. Case report, 611
Arteriovenous malformation
Bleeding from cerebral arteriovenous malformations as part of their natural history, 331
Detachable calibrated-leak balloon for superselective angiography and embolization of dural arteriovenous malformations, 817
Peripheral aneurysms of the cerebellar arteries. Review of 16 cases, 63
Regression of arteriovenous malformations. Letter, 627
Thrombosed arteriovenous malformations. Letters, 457
Artery, *see* specific arteries
Aspergillosis
Aspergillus infections of the lumbar disc spaces. Report of three cases, 270
Aspiration
Brain abscess in congenital cyanotic heart disease, 913
Atherosclerosis
Elastic tissue dysplasia of coiled internal carotid artery in an adult. Case report, 781
Atlantoaxial dislocation
Atlantoaxial dislocation associated with neurofibromatosis. Report of three cases, 451
Atlas
Jefferson fractures in children. Case report, 277
Autoradiography
Regional blood flow in RT-9 brain tumors, 863
Regional blood-to-tissue transport in RT-9 brain tumors, 874
Axonal regeneration
Effect of triiodo-L-thyronine on axonal regeneration in the rat spinal cord after acute compression injury, 406

Balloon catheter
Balloon occlusion of a spontaneous fistula of the posterior inferior cerebellar artery. Case report, 287
Detachable calibrated-leak balloon for superselective angiography and embolization of dural arteriovenous malformations, 817
Microsurgical removal of a balloon embolus to the internal carotid artery. Case report, 112
Migration of detachable mini-balloon from the ICA causing occlusion of the MCA. Case report, 430
Trigeminal artery to cavernous sinus fistula treated by balloon occlusion. Case report, 611
Unusual computerized tomography appearance of a carotid-cavernous fistula. Case report, 435
Basal ganglia
Parkinsonism due to subdural hematoma. Case report, 298
Basilar artery
Disappearance and development of cerebral aneurysms in moyamoya disease. Case report, 949
BCNU
Improved treatment of a brain-tumor model. Part 1: Advantages of single- over multiple-dose BCNU schedules, 177
Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
Stem cell studies of human malignant brain tumors. Part 1: Development of the stem cell assay and its potential, 170
Beagle puppy
Beagle puppy model of intraventricular hemorrhage. Effect of indomethacin on cerebral blood flow, 857
Biopsy
Ultrasound sector scanning for the localization and biopsy of intracerebral lesions, 7
Blood-brain barrier
The blood-brain barrier following experimental subarachnoid hemorrhage. Part 1: Response to insult caused by arterial hypertension, 338
The blood-brain barrier following experimental subarachnoid hemorrhage. Part 2: Response to mercuric chloride infusion, 345
Modification of focal cerebral ischemia by prostacyclin and indomethacin, 714
Regional blood-to-tissue transport in RT-9 brain tumors, 874
Bone tumor
Giant ossifying fibroma of the skull. Case report, 602
Book reviews
American Society of Pediatric Neurosurgery (ed). *Concepts in pediatric neurosurgery I*, 970
Bonica JJ, Ventafridda V, Pagni CA (eds). *Advances in pain research and therapy, volume 4. Management of superior pulmonary sulcus syndrome (Pancoast syndrome)*, 971

Index

Brackmann DE (ed). *Neurological surgery of the ear and skull base*, 790
Chandler WF. *Carotid artery injuries*, 454
Cooper PR (ed). *Head injury*, 788
Critchley M, Friedman AP, Gorini S, Sicuteri F (eds). *Headache: physiopathological and clinical concepts. Advances in neurology, volume 33*, 306
Gilman S, Winans SS. *Manter and Gatz's essentials of clinical neuroanatomy and neurophysiology, ed 6*, 306
Graham MD, House WF (eds). *Disorders of the facial nerve. Anatomy, diagnosis, and management*, 455
Handa H, Barnett HJM, Goldstein M, Yonekawa Y (eds). *Cerebral ischemia. Clinical and experimental approach*, 620
Hardy RW Jr (ed). *Lumbar disc disease. Seminars in neurological surgery*, 969
Haughton WM, Williams AL. *Computed tomography of the spine*, 146
Haymaker W, Adams RD (eds). *Histology and histopathology of the nervous system, volumes I and II*, 621
Horwitz NH, Rizzoli HV. *Postoperative complications of intracranial surgery*, 968
Johnson RT. *Viral infections of the nervous system*, 789
Kepes JJ. *Meningiomas. Biology, pathology and differential diagnosis*, 619
Lou HC. *Developmental neurology*, 620
Morley TP (ed). *Moral, ethical, and legal issues in the neurosciences*, 148
Mumenthaler M. *Didaktischer Atlas der klinischen Neurologie*, 789
Pettersson H, Harwood-Nash DCF. *CT and myelography of the spine and cord. Techniques, anatomy and pathology in children*, 970
Powell GE. *Brain function therapy*, 147
Ransohoff J (ed). *Modern technics in surgery. Neurosurgery, installment IV*, 307
Schneider RC, Kahn EA, Crosby EC, Taren JA (eds). *Correlative neurosurgery, volumes I and II, ed 3*, 968
Seiler RW. *Die undifferenzierten Astrozytome des Grosshirns eine Übersicht der aktuellen Therapiemöglichkeiten*, 622
Shutts D. *Lobotomy: resort to the knife*, 622
Sigel B. *Operative ultrasonography*, 147
Smith RR, Haerer AF, Russell WF (eds). *Vascular malformations and fistulas of the brain. Seminars in neurological surgery*, 454
Stern G, Lees A. *Parkinson's disease. The facts*, 790
Swaiman KF, Wright FS. *The practice of pediatric neurology, second edition, volumes I and II*, 146
Tasker RR, Organ LW, Hawrylyshyn PA. *The thalamus and midbrain of man. A physiological atlas using electrical stimulation*, 147
White AA III, Gordon SL (eds). *Symposium on idiopathic low back pain*, 970
Youmans JR (ed). *Neurological surgery, volumes 1–6, ed 2*, 307
Brachial plexus
Operative management of selected brachial plexus lesions, 631
Brain cannula
Long-term indwelling brain cannula. Letter, 459
Brain herniation
Timing of surgery for intracerebral hematomas due to aneurysm rupture, 476
Brain injury
The favorable effect of early parenteral feeding on survival in head-injured patients, 906
Intermittent versus continuous brain retraction. An experimental study, 918
Rehabilitation of the neurologically disabled patient: principles, practice, and scientific basis, 799
Removal of retained bone fragments. Letters, 624
Brain retraction
Intermittent versus continuous brain retraction. An experimental study, 918
Brain stem
Brain-stem hematomas. Letters, 456
Brain swelling
Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
Brain tumor, *see also* specific tumors
Brain-tumor imaging using radiopaque perfluorocarbon. A preliminary report, 650
International Register of Familial Brain Tumours. Letter, 310
Quality of life in children treated for brain tumors. Intellectual, emotional, and academic function, 1
The recurrence of intracranial meningiomas after surgical treatment, 51
Regional blood flow in RT-9 brain tumors, 863
Regional blood-to-tissue transport in RT-9 brain tumors, 874
Surgical treatment of brain metastases from lung cancer, 666
Ultrasound sector scanning for the localization and biopsy of intracerebral lesions, 7
Bromocriptine
Pregnancy following transsphenoidal resection of prolactin-secreting pituitary tumors, 685
Busch, Eduard Axel Valdemar
Eduard Axel Valdemar Busch, M.D., 1899–1982, 313
Bypass procedures, *see* Anastomosis

Cancer
Subdural hematoma associated with disseminated intravascular coagulation in patients with advanced cancer, 398
Carcinoma
Transient global amnesia associated with a single metastasis in the non-dominant hemisphere. Case report, 303
Cardiovascular function
Effects of naloxone on systemic and cerebral responses to experimental concussive brain injury in cats, 720
Carotid artery
Anomalous branch of the internal carotid artery supplying circulation of the anterior cerebral artery. Case report, 941
Arterial injection-digital subtraction angiography, 851
Early versus delayed heparin reversal after carotid endarterectomy in the dog. A scanning electron microscopy study, 708
Elastic tissue dysplasia of coiled internal carotid artery in an adult. Case report, 781
Microsurgical removal of a balloon embolus to the internal carotid artery. Case report, 112
Paroxysmal positional nystagmus in innominate and subclavian arterial occlusive disease. Case report, 443
Supraophthalmic carotid infusion for brain-tumor chemotherapy. Technical note, 616
Carotid-cavernous fistula
Direct microsurgical repair of intracavernous vascular lesions, 824
Microsurgical removal of a balloon embolus to the internal carotid artery. Case report, 112
Unusual computerized tomography appearance of a carotid-cavernous fistula. Case report, 435
Cavernous sinus
Direct microsurgical repair of intracavernous vascular lesions, 824
A new bipolar right-angled coagulation forceps for pituitary surgery. Technical note, 614
Trigeminal artery to cavernous sinus fistula treated by balloon occlusion. Case report, 611
Central canal
A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188
Cerebellar tumor
Primary cerebellar glioblastoma multiforme with an unusually long survival. Case report, 589
Cerebellopontine angle
Lipoma of the cerebellopontine angle. Letters, 627

Cerebellum
Arnold-Chiari malformation. Review of 71 cases, 183
Developmental defects of the tentorium cerebelli, 402
Cerebral artery
Arterial blood supply of the normal human pituitary gland. An anatomical study, 678
Cerebral arterial pathology in experimental subarachnoid hemorrhage, 813
Cerebral blood flow
Beagle puppy model of intraventricular hemorrhage. Effect of indomethacin on cerebral blood flow, 857
Cerebral and systemic circulatory effects of arterial hypotension induced by adenosine, 69
Experimental microsurgical embolectomy after middle cerebral artery embolization in the dog, 259
In vivo characterization of vasocontractile activities in erythrocytes, 356
Modification of focal cerebral ischemia by prostacyclin and indomethacin, 714
Paroxysmal positional nystagmus in innominate and subclavian arterial occlusive disease. Case report, 443
Regional cerebral blood flow in the acute stage of experimentally induced subarachnoid hemorrhage, 210
Regional cerebral blood flow, sensory evoked potentials, and intracranial pressure in dogs with MCA occlusion by embolization or trapping, 500
Cerebral infarction
Experimental microsurgical embolectomy after middle cerebral artery embolization in the dog, 259
Cerebrospinal fluid
Cerebrospinal fluid edema. Letters, 625
A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188
Monitoring of antifibrinolytic therapy following subarachnoid hemorrhage. The importance of CSF fibrin/fibrinogen degradation products, 699
Pressure-absorption responses to the infusion of fluid into the spinal cord central canal of kaolin-hydrocephalic cats, 198
Cerebrospinal fluid cytology
Diagnosis and management of pineal tumors, 654
Enzymatic changes in serum and cerebrospinal fluid in neurological injury, 27
Cerebrospinal fluid flow
A new method for measuring cerebrospinal fluid flow in shunts, 557
Cerebrovascular system
Effects of naloxone on systemic and cerebral responses to experimental concussive brain injury in cats, 720
Cervical-peritoneal shunt
Cervical-peritoneal shunt. Letters, 628
Cervical spine
Atlantoaxial dislocation associated with neurofibromatosis. Report of three cases, 451
Complete fracture-dislocation of cervical spine without permanent neurological sequelae. Case report, 760
Halo-thoracic brace immobilization in 188 patients with acute cervical spine injuries, 508
Jefferson fractures in children. Case report, 277
Chemotherapy
Computerized tomographic and pathologic studies of the untreated, quiescent, and recurrent glioblastoma multiforme, 159
Improved treatment of a brain-tumor model. Part 1: Advantages of single- over multiple-dose BCNU schedules, 177
Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
Preoperative chemotherapy and surgical resection in the management of posterior paraspinal tumors. Report of three cases, 446
Stem cell studies of human malignant brain tumors. Part 1: Development of the stem cell assay and its potential, 170
Supraophthalmic carotid infusion for brain-tumor chemotherapy. Technical note, 616
Children
Intracranial arterial aneurysms in children and adolescents, 832
Jefferson fractures in children. Case report, 277
Quality of life in children treated for brain tumors. Intellectual, emotional, and academic function, 1
Cholinergic nerve fiber
Aminergic and cholinergic innervations of the spinal cord blood vessels of cats. A histochemical study, 900
Chromophobe adenoma
Acute hemorrhage into pituitary adenoma with SAH and anterior cerebral artery occlusion. Case report, 771
Cleft palate
Sphenoethmoidal cephalocele with cleft palate: transpalatal versus transcranial repair. Report of two cases, 924
Clinical trial
A double-blind clinical trial of iopamidol versus metrizamide for lumbosacral myelography, 531
Megadose steroids in severe head injury. Results of a prospective double-blind clinical trial, 326
Clonogenic cell
Improved treatment of a brain-tumor model. Part 1: Advantages of single- over multiple-dose BCNU schedules, 177
Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
Stem cell studies of human malignant brain tumors. Part 1: Development of the stem cell assay and its potential, 170
Coagulation disorders
Factors affecting coagulation: fibrinolysis in chronic subdural fluid collections, 242
Hemostasis and intracranial surgery, 693
Monitoring of antifibrinolytic therapy following subarachnoid hemorrhage. The importance of CSF fibrin/fibrinogen degradation products, 699
Subdural hematoma associated with disseminated intravascular coagulation in patients with advanced cancer, 398
Coagulation forceps
A new bipolar right-angled coagulation forceps for pituitary surgery. Technical note, 614
Collagen
A quantitative evaluation of suture and tubulization nerve repair techniques, 574
Collins' rule
Medulloblastoma: clinical presentation and management. Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
Coma, *see also* Grading systems
Megadose steroids in severe head injury. Results of a prospective double-blind clinical trial, 326
Statistical studies on evaluation of mild disturbance of consciousness. Study of a simpler scale for clinical use, 223
Commissurotomy
Psychosocial and cognitive function after commissurotomy for intractable seizures, 374
Common carotid artery
Regional cerebral ischemia by occlusion of the posterior communicating artery and the middle cerebral artery in gerbils, 362
Computerized tomography
Atlantoaxial dislocation associated with neurofibromatosis. Report of three cases, 451
Brain-stem hematomas. Letters, 456
Complete fracture-dislocation of cervical spine without permanent neurological sequelae. Case report, 760
Computerized tomographic and pathologic studies of the untreated, quiescent, and recurrent glioblastoma multiforme, 159
Intermittent exophthalmos. Letters, 458
Intraventricular hemorrhage in severe head injury, 217
Lipoma of the cerebellopontine angle. Letters, 627
Sedimentation level in chronic subdural hematoma visible on computerized tomography, 246

Index

Unusual computerized tomography appearance of a carotid-cavernous fistula. Case report, 435
Congenital defect
Developmental defects of the tentorium cerebelli, 402
Congenital disease
Polycystic kidney disease and intracranial aneurysms. Early angiographic diagnosis and early operation for the unruptured aneurysm, 488
Congenital heart disease
Brain abscess in congenital cyanotic heart disease, 913
Congenital scalp defect
Leptomeningeal angiomatosis and aplasia congenita of the scalp. Case report, 937
Congress of Neurological Surgeons
Report of the Research Subcommittee of the Joint Committee on Education of the American Association of Neurological Surgeons and the Congress of Neurological Surgeons. Letter, 150
Consciousness level
Statistical studies on evaluation of mild disturbance of consciousness. Study of a simpler scale for clinical use, 223
Contrast agent
A double-blind clinical trial of iopamidol versus metrizamide for lumbosacral myelography, 531
Contrast medium
Brain-tumor imaging using radiopaque perfluorocarbon. A preliminary report, 650
Cordotomy
Control of blood flow in the cat spinal cord, 742
Corpus callosum
Psychosocial and cognitive function after commissurotomy for intractable seizures, 374
Cortical evoked response
Clinical signs and evoked response alterations associated with chronic experimental cord compression, 734
Corticosteroids
Megadose steroids in severe head injury. Results of a prospective double-blind clinical trial, 326
Costal cartilage
Morphogenic potential of autogenous costal cartilage transplanted into the interparietal suture area of the rat, 755
Costochondral graft
Morphogenic potential of autogenous costal cartilage transplanted into the interparietal suture area of the rat, 755
Cranial nerve
Direct microsurgical repair of intracavernous vascular lesions, 824
Craniopharyngioma
Intrasellar epidermoid cyst. Case report, 411
Occurrence of meningioma 36 years after treatment for craniopharyngioma without radiation therapy. Case report, 947
Craniosynostosis
Experimental craniosynostosis in growing rabbits. The role of the periosteum, 101
Creatine kinase
Creatine kinase isoenzymes in severe head injury, 689
Creatine phosphokinase
Enzymatic changes in serum and cerebrospinal fluid in neurological injury, 27
Cushing's disease
Suppression of cortisol secretion by low-dose dexamethasone testing in Cushing's disease. Case report, 129
Cyanoacrylate
Detachable calibrated-leak balloon for superselective angiography and embolization of dural arteriovenous malformations, 817
Experimental craniosynostosis in growing rabbits. The role of the periosteum, 101
Cyst
Intrasellar epidermoid cyst. Case report, 411
Multiple giant hydatid brain cysts. Letter, 460
Suprasellar epithelial cyst. Case report, 763
Davis, Loyal
Loyal Davis, M.D., 1896–1982, 473
Developmental anomaly
Diastematomyelia and intramedullary epidermoid spinal cord tumor combined with extradural teratoma in an adult. Case report, 954
Dexamethasone
Megadose steroids in severe head injury. Results of a prospective double-blind clinical trial, 326
Suppression of cortisol secretion by low-dose dexamethasone testing in Cushing's disease. Case report, 129
Diabetes insipidus
Avoidance of diabetes insipidus in transsphenoidal hypophysectomy. A modified technique of selective hypophysectomy, 682
Diaphragm pacing
Light and electron microscopic studies of phrenic nerves after long-term electrical stimulation, 84
Response of the diaphragm muscle to electrical stimulation of the phrenic nerve. A histochemical and ultrastructural study, 92
Diastematomyelia
Diastematomyelia and intramedullary epidermoid spinal cord tumor combined with extradural teratoma in an adult. Case report, 954
Dipyridamole
Cerebral and systemic circulatory effects of arterial hypotension induced by adenosine, 69
Inhibition by dipyridamole of cerebral vasospasm induced *in vitro* by whole blood, 352
Pharmacologically induced profound arterial hypotension in the anesthetized dog, 77
Dissecting aneurysm
Cerebral dissecting aneurysms in patients with moyamoya disease. Report of two cases, 120
Disseminated intravascular coagulation
Hemostasis and intracranial surgery, 693
Subdural hematoma associated with disseminated intravascular coagulation in patients with advanced cancer, 398
Drug abuse
Cerebral angiitis and intracerebral hemorrhage associated with methamphetamine abuse. Case report, 109
Drug reaction
A double-blind clinical trial of iopamidol versus metrizamide for lumbosacral myelography, 531
Dural substitute
The role of neomembranes in formation of hematoma around Silastic dura substitute. Case report, 295
Early operation
Long-term evaluation of ultra-early operation for hypertensive intracerebral hemorrhage in 100 cases, 838
Ectopic meningioma
Ectopic meningioma of a finger. Case report, 778
Edema
Cerebrospinal fluid edema. Letters, 625
Elastic tissue
Elastic tissue dysplasia of coiled internal carotid artery in an adult. Case report, 781
Electrical stimulation
Light and electron microscopic studies of phrenic nerves after long-term electrical stimulation, 84
Response of the diaphragm muscle to electrical stimulation of the phrenic nerve. A histochemical and ultrastructural study, 92
Electrocorticography
Intermittent versus continuous brain retraction. An experimental study, 918

Embolectomy
Experimental microsurgical embolectomy after middle cerebral artery embolization in the dog, 259
Microsurgical removal of a balloon embolus to the internal carotid artery. Case report, 112
Migration of detachable mini-balloon from the ICA causing occlusion of the MCA. Case report, 430
Embolization
Balloon occlusion of a spontaneous fistula of the posterior inferior cerebellar artery. Case report, 287
Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
Detachable calibrated-leak balloon for superselective angiography and embolization of dural arteriovenous malformations, 817
Regional cerebral blood flow, sensory evoked potentials, and intracranial pressure in dogs with MCA occlusion by embolization or trapping, 500
Trigeminal artery to cavernous sinus fistula treated by balloon occlusion. Case report, 611
Unusual computerized tomography appearance of a carotid-cavernous fistula. Case report, 435
Encephalocele
Sphenoethmoidal cephalocele with cleft palate: transpalatal versus transcranial repair. Report of two cases, 924
Endarterectomy
Early versus delayed heparin reversal after carotid endarterectomy in the dog. A scanning electron microscopy study, 708
Endarterectomy for atheromatous hypoglossal artery. Case report, 935
Endocrine
Precocious puberty and hypothalamic hamartoma with total recovery after surgical treatment. Case report, 583
Endocrine dysfunction
Surgically reversible hypothalamic hypopituitarism due to aqueductal stenosis. Case report, 932
Endogenous opiates
Effects of naloxone on systemic and cerebral responses to experimental concussive brain injury in cats, 720
Endothelial cell
The blood-brain barrier following experimental subarachnoid hemorrhage. Part 2: Response to mercuric chloride infusion, 345
Enteral nutrition
The favorable effect of early parenteral feeding on survival in head-injured patients, 906
Epicranial tumor
Lateral sinus pericranii. Case report, 139
Epidermoid cyst
Diastematomyelia and intramedullary epidermoid spinal cord tumor combined with extradural teratoma in an adult. Case report, 954
Intrasellar epidermoid cyst. Case report, 411
Epidural abscess
Subdural empyema and epidural abscess in children, 392
Epilepsy
Cortical somatosensory evoked potentials in response to hand stimulation, 855
Failure of prophylactically administered phenytoin to prevent early posttraumatic seizures, 231
Failure of prophylactically administered phenytoin to prevent late posttraumatic seizures, 236
Intracranial arterial aneurysms in children and adolescents, 832
Lipoma of the insula. Case report, 300
Phenytoin and postoperative epilepsy. A double-blind study, 672
Psychosocial and cognitive function after commissurotomy for intractable seizures, 374
Erythrocyte
In vivo characterization of vasocontractile activities in erythrocytes, 356
Evoked potentials
Cortical somatosensory evoked potentials in response to hand stimulation, 855
Experimental microsurgical embolectomy after middle cerebral artery embolization in the dog, 259
Monitoring of auditory evoked potentials. Letters, 460
Regional cerebral blood flow, sensory evoked potentials, and intracranial pressure in dogs with MCA occlusion by embolization or trapping, 500
Spinal evoked potentials from the motor tracts, 38
Exophthalmos
Intermittent exophthalmos. Letters, 458
Experimental brain tumor
Brain-tumor imaging using radiopaque perfluorocarbon. A preliminary report, 650
Experimental hydrocephalus
Pressure-absorption responses to the infusion of fluid into the spinal cord central canal of kaolin-hydrocephalic cats, 198
Extracranial carotid aneurysm
Treatment of a high extracranial carotid artery aneurysm with CCA-MCA bypass and carotid ligation. Case report, 421
Extracranial-intracranial bypass, *see* Anastomosis
Extradural hematoma
Spontaneous extradural hematoma. Letters, 794

False saccular aneurysm
Traumatic intracranial aneurysm due to arterial injury at surgery. Case report, 291
Familial brain tumor
International Register of Familial Brain Tumours. Letter, 310
Fascial closure
Fascial closure in low myelomeningocele repairs. Technical note, 144
Femoral nerve
Femoral nerve injury. Letter, 459
The femoral stretching test. Letters, 626; 795
Lumbosacral radiculopathy secondary to abdominal aortic aneurysms. Report of three cases, 965
Femoral stretching test
The femoral stretching test. Letters, 626; 795
Fibrin/fibrinogen degradation products
Factors affecting coagulation: fibrinolysis in chronic subdural fluid collections, 242
Hemostasis and intracranial surgery, 693
Monitoring of antifibrinolytic therapy following subarachnoid hemorrhage. The importance of CSF fibrin/fibrinogen degradation products, 699
Filum terminale
A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188
5-fluorouracil
Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
Fracture-dislocation injury
Complete fracture-dislocation of cervical spine without permanent neurological sequelae. Case report, 760
Fusarium infection
Fusarium brain abscess. Case report, 598

Ganglioneuroma
A mixed functional microadenoma and ganglioneuroma of the pituitary fossa. Case report, 416
Germ-cell tumor
Intrasellar mixed germ-cell tumor. Case report, 766
Germinal matrix
The role of intracranial hypotension in neonatal intraventricular hemorrhage, 204

Index

Germinoma
Diagnosis and management of pineal tumors, 654
Suprasellar germinoma in association with Klinefelter's syndrome. Case report, 136
Glasgow Coma Scale, *see* Grading systems
Glioblastoma multiforme
Computerized tomographic and pathologic studies of the untreated, quiescent, and recurrent glioblastoma multiforme, 159
Primary cerebellar glioblastoma multiforme with an unusually long survival. Case report, 589
Glioma
Improved treatment of a brain-tumor model. Part 1: Advantages of single- over multiple-dose BCNU schedules, 177
Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
Stem cell studies of human malignant brain tumors. Part 1: Development of the stem cell assay and its potential, 170
Supraophthalmic carotid infusion for brain-tumor chemotherapy. Technical note, 616
Gonadotropin
Diagnosis and management of pineal tumors, 654
Gout
Tophaceous gout producing spinal cord compression. Case report, 580
Grading systems
Agreement between physicians on assessment of outcome following severe head injury, 321
Creatine kinase isoenzymes in severe head injury, 689
Observer variability in assessing the clinical features of subarachnoid hemorrhage, 57
The recurrence of intracranial meningiomas after surgical treatment, 51
Statistical studies on evaluation of mild disturbance of consciousness. Study of a simpler scale for clinical use, 223
Growth hormone
Surgically reversible hypothalamic hypopituitarism due to aqueductal stenosis. Case report, 932
Gumma
Multiple cerebral gummata. Case report, 959

Halo brace
Halo-thoracic brace immobilization in 188 patients with acute cervical spine injuries, 508
Jefferson fractures in children. Case report, 277
Hamartoma
Precocious puberty and hypothalamic hamartoma with total recovery after surgical treatment. Case report, 583
Head injury
Agreement between physicians on assessment of outcome following severe head injury, 321
A clinical comparison of subdural screw pressure measurements with ventricular pressure, 45
Creatine kinase isoenzymes in severe head injury, 689
Effects of naloxone on systemic and cerebral responses to experimental concussive brain injury in cats, 720
Enzymatic changes in serum and cerebrospinal fluid in neurological injury, 27
Epidural hygroma of the posterior fossa. Case report, 586
The favorable effect of early parenteral feeding on survival in head-injured patients, 906
Intraventricular hemorrhage in severe head injury, 217
Megadose steroids in severe head injury. Results of a prospective double-blind clinical trial, 326
Rehabilitation of the neurologically disabled patient: principles, practice, and scientific basis, 799
Removal of retained bone fragments. Letters, 624
Statistical studies on evaluation of mild disturbance of consciousness. Study of a simpler scale for clinical use, 223

Hematoma, *see also* Subdural hematoma
Brain-stem hematomas. Letters, 456
Epidural hygroma of the posterior fossa. Case report, 586
The role of neomembranes in formation of hematoma around Silastic dura substitute. Case report, 295
Spontaneous extradural hematoma. Letters, 794
Timing of surgery for intracerebral hematomas due to aneurysm rupture, 476
Hemoglobin
Factors affecting coagulation: fibrinolysis in chronic subdural fluid collections, 242
Hemorrhage, *see also* Intraventricular hemorrhage, Subarachnoid hemorrhage
Bleeding from cerebral arteriovenous malformations as part of their natural history, 331
Cerebral angiitis and intracerebral hemorrhage associated with methamphetamine abuse. Case report, 109
Long-term evaluation of ultra-early operation for hypertensive intracerebral hemorrhage in 100 cases, 838
Sedimentation level in chronic subdural hematoma visible on computerized tomography, 246
Thrombosed arteriovenous malformations. Letters, 457
Hemostasis
Hemostasis and intracranial surgery, 693
Heparin
Combined PGI_2, indomethacin, and heparin improves neurological recovery after spinal trauma in cats, 749
Early versus delayed heparin reversal after carotid endarterectomy in the dog. A scanning electron microscopy study, 708
Histiocytoma
Meningeal malignant fibrous histiocytoma arising from a thoracolumbar myelomeningocele. Case report, 593
Holography
A study of human head vibrations using time-averaged holography, 729
Hydatid cyst
Multiple giant hydatid brain cysts. Letter, 460
Hydrocephalus
Cerebrospinal fluid edema. Letters, 625
Determination of CSF shunt patency with a lumbar infusion test, 553
Management of intrauterine hydrocephalus. Letters, 793
Pressure-absorption responses to the infusion of fluid into the spinal cord central canal of kaolin-hydrocephalic cats, 198
Surgically reversible hypothalamic hypopituitarism due to aqueductal stenosis. Case report, 932
Hydrogen clearance
Control of blood flow in the cat spinal cord, 742
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 1: Oxygen metabolism and neuronal function, 516
Regional cerebral blood flow in the acute stage of experimentally induced subarachnoid hemorrhage, 210
Hygroma
Epidural hygroma of the posterior fossa. Case report, 586
Hypertension
The blood-brain barrier following experimental subarachnoid hemorrhage. Part 1: Response to insult caused by arterial hypertension, 338
Intracranial arterial aneurysms in children and adolescents, 832
Long-term evaluation of ultra-early operation for hypertensive intracerebral hemorrhage in 100 cases, 838
Hyperuricemia
Tophaceous gout producing spinal cord compression. Case report, 580
Hypoglossal artery
Endarterectomy for atheromatous hypoglossal artery. Case report, 935
Hypogonadism
Suprasellar germinoma in association with Klinefelter's syndrome. Case report, 136

Hypophysectomy
Avoidance of diabetes insipidus in transsphenoidal hypophysectomy. A modified technique of selective hypophysectomy, 682
A new bipolar right-angled coagulation forceps for pituitary surgery. Technical note, 614
Hypotension
Cerebral and systemic circulatory effects of arterial hypotension induced by adenosine, 69
Effects of intravenous nitroglycerin on the intracranial pressure and volume pressure response, 562
Pharmacologically induced profound arterial hypotension in the anesthetized dog, 77
The role of intracranial hypotension in neonatal intraventricular hemorrhage, 204
Hypothalamic hypophyseal system
Arterial blood supply of the normal human pituitary gland. An anatomical study, 678
Hypothalamus
Precocious puberty and hypothalamic hamartoma with total recovery after surgical treatment. Case report, 583
Surgically reversible hypothalamic hypopituitarism due to aqueductal stenosis. Case report, 932

Immunocytochemistry
Pituitary apoplexy treated by transsphenoidal surgery. A clinicopathological and immunocytochemical study, 315
Immunodeficiency
Fusarium brain abscess. Case report, 598
Indomethacin
Beagle puppy model of intraventricular hemorrhage. Effect of indomethacin on cerebral blood flow, 857
Combined PGI_2, indomethacin, and heparin improves neurological recovery after spinal trauma in cats, 749
Modification of focal cerebral ischemia by prostacyclin and indomethacin, 714
Indwelling brain cannula
Long-term indwelling brain cannula. Letter, 459
Infarction
Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
Regional cerebral blood flow, sensory evoked potentials, and intracranial pressure in dogs with MCA occlusion by embolization or trapping, 500
Infection
Aspergillus infections of the lumbar disc spaces. Report of three cases, 270
Brain abscess in congenital cyanotic heart disease, 913
Removal of retained bone fragments. Letters, 624
Subdural empyema and epidural abscess in children, 392
Infectious mononucleosis
Fusarium brain abscess. Case report, 598
Infratentorial approach
Infratentorial approach to the pineal region in the prone position: Concorde position. Technical note, 141
Infundibulum
Bilateral aneurysm formation developing from junctional dilatation (infundibulum) of the posterior communicating arteries. Case report, 117
Infusion test
Determination of CSF shunt patency with a lumbar infusion test, 553
Innominate artery
Paroxysmal positional nystagmus in innominate and subclavian arterial occlusive disease. Case report, 443
Instrumentation
A new bipolar right-angled coagulation forceps for pituitary surgery. Technical note, 614

Insula
Lipoma of the insula. Case report, 300
Intellectual function
Quality of life in children treated for brain tumors. Intellectual, emotional, and academic function, 1
Interferometry
A study of human head vibrations using time-averaged holography, 729
Intermittent exophthalmos
Intermittent exophthalmos. Letters, 458
Internal carotid artery, *see also* Carotid artery
Disappearance and development of cerebral aneurysms in moyamoya disease. Case report, 949
Pupillary-sparing third nerve palsy due to aneurysm: a survey of 2419 neurological surgeons. Letter, 792
International Register of Familial Brain Tumours
International Register of Familial Brain Tumours. Letter, 310
Intracerebral hematoma
Intracranial arterial aneurysms in children and adolescents, 832
Timing of surgery for intracerebral hematomas due to aneurysm rupture, 476
Intracranial hemorrhage
Leptomeningeal angiomatosis and aplasia congenita of the scalp. Case report, 937
Intracranial pressure, *see also* Hypertension, Hypotension
A clinical comparison of subdural screw pressure measurements with ventricular pressure, 45
Determination of CSF shunt patency with a lumbar infusion test, 553
Effects of intravenous nitroglycerin on the intracranial pressure and volume pressure response, 562
Enzymatic changes in serum and cerebrospinal fluid in neurological injury, 27
The oval pupil: clinical significance and relationship to intracranial hypertension, 566
Regional cerebral blood flow, sensory evoked potentials, and intracranial pressure in dogs with MCA occlusion by embolization or trapping, 500
Intramedullary tumor
Cervical intramedullary schwannoma. Case report, 962
Diastematomyelia and intramedullary epidermoid spinal cord tumor combined with extradural teratoma in an adult. Case report, 954
Intrasellar cyst
Intrasellar epidermoid cyst. Case report, 411
Intrauterine hydrocephalus
Management of intrauterine hydrocephalus. Letters, 793
Intraventricular hemorrhage
Beagle puppy model of intraventricular hemorrhage. Effect of indomethacin on cerebral blood flow, 857
Intraventricular hemorrhage from ruptured aneurysm. Retrospective analysis of 91 cases, 482
Intraventricular hemorrhage in severe head injury, 217
The role of intracranial hypotension in neonatal intraventricular hemorrhage, 204
Iodoantipyrine
Regional blood flow in RT-9 brain tumors, 863
Iopamidol
A double-blind clinical trial of iopamidol versus metrizamide for lumbosacral myelography, 531
Ischemia
Aminergic and cholinergic innervations of the spinal cord blood vessels of cats. A histochemical study, 900
Biphasic occurrence of delayed ischemia after early aneurysm surgery. Case report, 440
Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
Elastic tissue dysplasia of coiled internal carotid artery in an adult. Case report, 781
Modification of focal cerebral ischemia by prostacyclin and indomethacin, 714
Regional cerebral ischemia by occlusion of the posterior com-

municating artery and the middle cerebral artery in gerbils, 362
Isoenzyme
Creatine kinase isoenzymes in severe head injury, 689
Enzymatic changes in serum and cerebrospinal fluid in neurological injury, 27

Jefferson fracture
Jefferson fractures in children. Case report, 277
Junctional dilatation
Bilateral aneurysm formation developing from junctional dilatation (infundibulum) of the posterior communicating arteries. Case report, 117

Klinefelter's syndrome
Suprasellar germinoma in association with Klinefelter's syndrome. Case report, 136

Lactic dehydrogenase
Enzymatic changes in serum and cerebrospinal fluid in neurological injury, 27
Latissimus dorsi
Use of free latissimus dorsi musculocutaneous flaps in various neurosurgical disorders, 252
Leukemia
Spinal subarachnoid hematoma after lumbar puncture causing reversible paraplegia in acute leukemia. Case report, 438
Liège Coma Scale
Creatine kinase isoenzymes in severe head injury, 689
Lipoma
Lipoma of the cerebellopontine angle. Letters, 627
Lipoma of the insula. Case report, 300
Lumbar disc
Aspergillus infections of the lumbar disc spaces. Report of three cases, 270
The femoral stretching test. Letters, 626; 795
Lumbar puncture
Spinal subarachnoid hematoma after lumbar puncture causing reversible paraplegia in acute leukemia. Case report, 438
Lung carcinoma
Surgical treatment of brain metastases from lung cancer, 666

Mammary carcinoma
Avoidance of diabetes insipidus in transsphenoidal hypophysectomy. A modified technique of selective hypophysectomy, 682
Medulloblastoma
Medulloblastoma: clinical presentation and management. Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
Melanoma
Nevus of Ota associated with meningeal melanosis and intracranial melanoma. Case report, 280
Meningeal tumor
Meningeal malignant fibrous histiocytoma arising from a thoracolumbar myelomeningocele. Case report, 593
Meninges
Nevus of Ota associated with meningeal melanosis and intracranial melanoma. Case report, 280
Meningioma
Ectopic meningioma of a finger. Case report, 778
Metastasis of prostatic carcinoma to intracranial meningioma. Case report, 774
Occurrence of meningioma 36 years after treatment for craniopharyngioma without radiation therapy. Case report, 947
The recurrence of intracranial meningiomas after surgical treatment, 51
Meningocele
Fascial closure in low myelomeningocele repairs. Technical note, 144
Meningeal malignant fibrous histiocytoma arising from a thoracolumbar myelomeningocele. Case report, 593
Mercuric chloride
The blood-brain barrier following experimental subarachnoid hemorrhage. Part 2: Response to mercuric chloride infusion, 345
Metabolism
The favorable effect of early parenteral feeding on survival in head-injured patients, 906
Metastasis
Medulloblastoma: clinical presentation and management. Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
Metastasis of prostatic carcinoma to intracranial meningioma. Case report, 774
Surgical treatment of brain metastases from lung cancer, 666
Transient global amnesia associated with a single metastasis in the non-dominant hemisphere. Case report, 303
Methamphetamine
Cerebral angiitis and intracerebral hemorrhage associated with methamphetamine abuse. Case report, 109
Methylprednisolone
Uptake and elimination of methylprednisolone from contused cat spinal cord following intravenous injection of the sodium succinate ester, 538
Metrizamide
A double-blind clinical trial of iopamidol versus metrizamide for lumbosacral myelography, 531
Midbrain tumor
Giant calcified and ossified midbrain tuberculoma. Case report, 133
Middle cerebral artery
Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
Experimental microsurgical embolectomy after middle cerebral artery embolization in the dog, 259
Regional cerebral blood flow, sensory evoked potentials, and intracranial pressure in dogs with MCA occlusion by embolization or trapping, 500
Regional cerebral ischemia by occlusion of the posterior communicating artery and the middle cerebral artery in gerbils, 362
Millipore filter
Medulloblastoma: clinical presentation and management. Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
Missile wound
Removal of retained bone fragments. Letters, 624
Mobilization
Halo-thoracic brace immobilization in 188 patients with acute cervical spine injuries, 508
Rehabilitation of the neurologically disabled patient: principles, practice, and scientific basis, 799
Morphogenesis
Morphogenic potential of autogenous costal cartilage transplanted into the interparietal suture area of the rat, 755
Motor tract
Spinal evoked potentials from the motor tracts, 38
Moyamoya disease
Anastomosis of the superficial temporal artery to the distal

anterior cerebral artery with interposed cephalic vein graft. Case report, 425
Cerebral dissecting aneurysms in patients with moyamoya disease. Report of two cases, 120
Disappearance and development of cerebral aneurysms in moyamoya disease. Case report, 949
Multiple adenomas
Multiple secreting microadenomas as a possible cause of selective transsphenoidal adenomectomy failure. Case report, 267
Multiple aneurysms
Disappearance and development of cerebral aneurysms in moyamoya disease. Case report, 949
Musculocutaneous free flap
Use of free latissimus dorsi musculocutaneous flaps in various neurosurgical disorders, 252
Mycosis
Aspergillus infections of the lumbar disc spaces. Report of three cases, 270
Myelography
A double-blind clinical trial of iopamidol versus metrizamide for lumbosacral myelography, 531
Intraoperative myelography. Technical note, 786
Myocutaneous flap
Use of free latissimus dorsi musculocutaneous flaps in various neurosurgical disorders, 252
Myofascial band
Sciatic nerve entrapment. Case report, 275
Myonecrosis
Cerebral arterial pathology in experimental subarachnoid hemorrhage, 813
Myopathy
Response of the diaphragm muscle to electrical stimulation of the phrenic nerve. A histochemical and ultrastructural study, 92

Naloxone
Combined PGI_2, indomethacin, and heparin improves neurological recovery after spinal trauma in cats, 749
Effects of naloxone on systemic and cerebral responses to experimental concussive brain injury in cats, 720
Neomembrane
The role of neomembranes in formation of hematoma around Silastic dura substitute. Case report, 295
Neoplasm-to-neoplasm metastasis
Metastasis of prostatic carcinoma to intracranial meningioma. Case report, 774
Nerve action potentials
Operative management of selected brachial plexus lesions, 631
Nerve compression
Sciatic nerve entrapment. Case report, 275
Nerve injury
Femoral nerve injury. Letter, 459
Nerve regeneration
Effect of triiodo-L-thyronine on axonal regeneration in the rat spinal cord after acute compression injury, 406
Operative management of selected brachial plexus lesions, 631
A quantitative evaluation of suture and tubulization nerve repair techniques, 574
Nerve repair
A quantitative evaluation of suture and tubulization nerve repair techniques, 574
Neurilemmoma
Cervical intramedullary schwannoma. Case report, 962
Neurocutaneous syndrome
Leptomeningeal angiomatosis and aplasia congenita of the scalp. Case report, 937
Neuroepithelial cyst
Suprasellar epithelial cyst. Case report, 763
Neurofibromatosis
Atlantoaxial dislocation associated with neurofibromatosis. Report of three cases, 451
Neurological grading
Agreement between physicians on assessment of outcome following severe head injury, 321
Creatine kinase isoenzymes in severe head injury, 689
Observer variability in assessing the clinical features of subarachnoid hemorrhage, 57
Statistical studies on evaluation of mild disturbance of consciousness. Study of a simpler scale for clinical use, 223
Neuroma
Operative management of selected brachial plexus lesions, 631
Neuropathy
Operative management of selected brachial plexus lesions, 631
Sciatic nerve entrapment. Case report, 275
Neuroprosthesis
Light and electron microscopic studies of phrenic nerves after long-term electrical stimulation, 84
Neuropsychology
Psychosocial and cognitive function after commissurotomy for intractable seizures, 374
Quality of life in children treated for brain tumors. Intellectual, emotional, and academic function, 1
Neurosurgical education
Report of the Research Subcommittee of the Joint Committee on Education of the American Association of Neurological Surgeons and the Congress of Neurological Surgeons. Letter, 150
Neurosurgical technique
Infratentorial approach to the pineal region in the prone position: Concorde position. Technical note, 141
Neurosyphilis
Multiple cerebral gummata. Case report, 959
Nevus of Ota
Nevus of Ota associated with meningeal melanosis and intracranial melanoma. Case report, 280
Nifedipine
Delayed cerebral vasospasm is not reversible by aminophylline, nifedipine, or papaverine in a "two-hemorrhage" canine model, 11
Nitroglycerin
Effects of intravenous nitroglycerin on the intracranial pressure and volume pressure response, 562
Nonmycotic aneurysm
Peripheral aneurysms of the cerebellar arteries. Review of 16 cases, 63
Nutrition
The favorable effect of early parenteral feeding on survival in head-injured patients, 906
Nystagmus
Paroxysmal positional nystagmus in innominate and subclavian arterial occlusive disease. Case report, 443

Obituaries
Eduard Axel Valdemar Busch, M.D., 1899–1982, 313
Loyal Davis, M.D., 1896–1982, 473
Observer variability
Agreement between physicians on assessment of outcome following severe head injury, 321
Observer variability in assessing the clinical features of subarachnoid hemorrhage, 57
Ocular sign
The oval pupil: clinical significance and relationship to intracranial hypertension, 566
Pupillary-sparing third nerve palsy due to aneurysm: a survey of 2419 neurological surgeons. Letter, 792
Ophthalmic artery
Supraophthalmic carotid infusion for brain-tumor chemother-

Index

apy. Technical note, 616
Optic chiasm
Anomalous branch of the internal carotid artery supplying circulation of the anterior cerebral artery. Case report, 941
Ossifying fibroma
Giant ossifying fibroma of the skull. Case report, 602
Osteomyelitis
Aspergillus infections of the lumbar disc spaces. Report of three cases, 270
Oval pupil
The oval pupil: clinical significance and relationship to intracranial hypertension, 566
Oxygen consumption
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 1: Oxygen metabolism and neuronal function, 516
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 2: Relation to segmental level, 526

Papaverine
Delayed cerebral vasospasm is not reversible by aminophylline, nifedipine, or papaverine in a "two-hemorrhage" canine model, 11
Paraplegia
Spinal subarachnoid hematoma after lumbar puncture causing reversible paraplegia in acute leukemia. Case report, 438
Tophaceous gout producing spinal cord compression. Case report, 580
Parenteral nutrition
The favorable effect of early parenteral feeding on survival in head-injured patients, 906
Parkinsonism
Parkinsonism due to subdural hematoma. Case report, 298
Penicillin
Multiple cerebral gummata. Case report, 959
Perfluorocarbon
Brain-tumor imaging using radiopaque perfluorocarbon. A preliminary report, 650
Perforating artery
Comparison of middle cerebral artery trunk occlusion by silicone cylinder embolization and by trapping, 492
Periosteum
Experimental craniosynostosis in growing rabbits. The role of the periosteum, 131
Peripheral nerve
Operative management of selected brachial plexus lesions, 631
Sciatic nerve entrapment. Case report, 275
Phenytoin
Failure of prophylactically administered phenytoin to prevent early posttraumatic seizures, 231
Failure of prophylactically administered phenytoin to prevent late posttraumatic seizures, 236
Phenytoin and postoperative epilepsy. A double-blind study, 672
Phrenic nerve
Light and electron microscopic studies of phrenic nerves after long-term electrical stimulation, 84
Response of the diaphragm muscle to electrical stimulation of the phrenic nerve. A histochemical and ultrastructural study, 92
Pineal tumor
Diagnosis and management of pineal tumors, 654
Infratentorial approach to the pineal region in the prone position: Concorde position. Technical note, 141
Pinealoma
Diagnosis and management of pineal tumors, 654
Pituitary gland
Arterial blood supply of the normal human pituitary gland. An anatomical study, 678
Pituitary insufficiency
Sphenoethmoidal cephalocele with cleft palate: transpalatal versus transcranial repair. Report of two cases, 924
Pituitary tumor
Acute hemorrhage into pituitary adenoma with SAH and anterior cerebral artery occlusion. Case report, 771
Intrasellar mixed germ-cell tumor. Case report, 766
A mixed functional microadenoma and ganglioneuroma of the pituitary fossa. Case report, 416
Multiple secreting microadenomas as a possible cause of selective transsphenoidal adenomectomy failure. Case report, 267
A new bipolar right-angled coagulation forceps for pituitary surgery. Technical note, 614
Pituitary apoplexy treated by transsphenoidal surgery. A clinicopathological and immunocytochemical study, 315
Pregnancy following transsphenoidal resection of prolactin-secreting pituitary tumors, 685
Suppression of cortisol secretion by low-dose dexamethasone testing in Cushing's disease. Case report, 129
Vasospasm after pituitary surgery. Letter, 972
Plasminogen
Factors affecting coagulation: fibrinolysis in chronic subdural fluid collections, 242
Polycystic kidney disease
Polycystic kidney disease and intracranial aneurysms. Early angiographic diagnosis and early operation for the unruptured aneurysm, 488
Posterior communicating artery
Bilateral aneurysm formation developing from junctional dilatation (infundibulum) of the posterior communicating arteries. Case report, 117
Regional cerebral ischemia by occlusion of the posterior communicating artery and the middle cerebral artery in gerbils, 362
Posterior fossa decompression
Arnold-Chiari malformation. Review of 71 cases, 183
Posterior inferior cerebellar artery
Aneurysms of the posterior inferior cerebellar artery. A clinical and anatomical analysis, 381
Balloon occlusion of a spontaneous fistula of the posterior inferior cerebellar artery. Case report, 287
Precocious puberty
Precocious puberty and hypothalamic hamartoma with total recovery after surgical treatment. Case report, 583
Pregnancy
Pregnancy following transsphenoidal resection of prolactin-secreting pituitary tumors, 685
Prolactin
A mixed functional microadenoma and ganglioneuroma of the pituitary fossa. Case report, 416
Pregnancy following transsphenoidal resection of prolactin-secreting pituitary tumors, 685
Prostacyclin
Combined PGI_2, indomethacin, and heparin improves neurological recovery after spinal trauma in cats, 749
Modification of focal cerebral ischemia by prostacyclin and indomethacin, 714
Prostaglandin
Inhibition by dipyridamole of cerebral vasospasm induced *in vitro* by whole blood, 352
Prostatic carcinoma
Metastasis of prostatic carcinoma to intracranial meningioma. Case report, 774
Psammoma
Ectopic meningioma of a finger. Case report, 778
Pseudotumor cerebri
Cervical-peritoneal shunt. Letters, 628
Pseudoxanthoma elasticum
Ruptured aneurysm of the anterior spinal artery associated with pseudoxanthoma elasticum. Case report, 126
Pyramidal tract
Effect of triiodo-L-thyronine on axonal regeneration in the rat spinal cord after acute compression injury, 406

Radiation necrosis
Computerized tomographic and pathologic studies of the untreated, quiescent, and recurrent glioblastoma multiforme, 159
Radiation therapy
Computerized tomographic and pathologic studies of the untreated, quiescent, and recurrent glioblastoma multiforme, 159
Medulloblastoma: clinical presentation and management. Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
The recurrence of intracranial meningiomas after surgical treatment, 51
Radiculopathy
Lumbosacral radiculopathy secondary to abdominal aortic aneurysms. Report of three cases, 965
Radiofrequency lesion
Quantitative analysis of lesion parameters in radiofrequency trigeminal rhizotomy, 388
Rathke's cleft cyst
Suprasellar epithelial cyst. Case report, 763
Rebleeding
Bleeding from cerebral arteriovenous malformations as part of their natural history, 331
Reconstructive surgery
Fascial closure in low myelomeningocele repairs. Technical note, 144
Sphenoethmoidal cephalocele with cleft palate: transpalatal versus transcranial repair. Report of two cases, 924
Use of free latissimus dorsi musculocutaneous flaps in various neurosurgical disorders, 252
Red blood cell
In vivo characterization of vasocontractile activities in erythrocytes, 356
Rehabilitation
Rehabilitation of the neurologically disabled patient: principles, practice, and scientific basis, 799
Research training programs
Report of the Research Subcommittee of the Joint Committee on Education of the American Association of Neurological Surgeons and the Congress of Neurological Surgeons. Letter, 150
Resonant frequencies
A study of human head vibrations using time-averaged holography, 729
Revascularization
Anastomosis of the superficial temporal artery to the distal anterior cerebral artery with interposed cephalic vein graft. Case report, 425
Subclavian to distal vertebral artery bypass. Case report, 607
Treatment of a high extracranial carotid artery aneurysm with CCA-MCA bypass and carotid ligation. Case report, 421
Rhizotomy
Quantitative analysis of lesion parameters in radiofrequency trigeminal rhizotomy, 388
Selective posterior rhizotomy for treatment of spasticity, 895

Saphenous vein graft
Treatment of a high extracranial carotid artery aneurysm with CCA-MCA bypass and carotid ligation. Case report, 421
Sarcoma
Preoperative chemotherapy and surgical resection in the management of posterior paraspinal tumors. Report of three cases, 446
Scalp defect
Use of free latissimus dorsi musculocutaneous flaps in various neurosurgical disorders, 252
Schwannoma
Cervical intramedullary schwannoma. Case report, 962
Sciatic nerve
Sciatic nerve entrapment. Case report, 275
Sedimentation level
Sedimentation level in chronic subdural hematoma visible on computerized tomography, 246
Seizure
Failure of prophylactically administered phenytoin to prevent early posttraumatic seizures, 231
Failure of prophylactically administered phenytoin to prevent late posttraumatic seizures, 236
Late seizures and morbidity after subdural empyema, 569
Phenytoin and postoperative epilepsy. A double-blind study, 672
Psychosocial and cognitive function after commissurotomy for intractable seizures, 374
Subdural empyema and epidural abscess in children, 392
Thrombosed arteriovenous malformations. Letters, 457
Sella turcica
Arterial blood supply of the normal human pituitary gland. An anatomical study, 678
Serology
Multiple cerebral gummata. Case report, 959
Shock
Control of blood flow in the cat spinal cord, 742
Effects of naloxone on systemic and cerebral responses to experimental concussive brain injury in cats, 720
Shunt
Cervical-peritoneal shunt. Letters, 628
Determination of CSF shunt patency with a lumbar infusion test, 553
Intraventricular hemorrhage from ruptured aneurysm. Retrospective analysis of 91 cases, 482
Management of intrauterine hydrocephalus. Letters, 793
Medulloblastoma: clinical presentation and management. Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
A new method for measuring cerebrospinal fluid flow in shunts, 557
Shunt complication
Cerebrospinal fluid edema. Letters, 625
Slit ventricle syndrome. Letter, 456
Sinus pericranii
Lateral sinus pericranii. Case report, 139
Skeletal immobilization
Halo-thoracic brace immobilization in 188 patients with acute cervical spine injuries, 508
Rehabilitation of the neurologically disabled patient: principles, practice, and scientific basis, 799
Skeletal traction
Complete fracture-dislocation of cervical spine without permanent neurological sequelae. Case report, 760
Skull
Nevus of Ota associated with meningeal melanosis and intracranial melanoma. Case report, 280
Skull deformation
A study of human head vibrations using time-averaged holography, 729
Skull growth
Experimental craniosynostosis in growing rabbits. The role of the periosteum, 101
Morphogenic potential of autogenous costal cartilage transplanted into the interparietal suture area of the rat, 755
Skull tumor
Giant ossifying fibroma of the skull. Case report, 602
Lateral sinus pericranii. Case report, 139
Slit ventricle syndrome
Slit ventricle syndrome. Letter, 456
Sodium nitroprusside
Pharmacologically induced profound arterial hypotension in the anesthetized dog, 77
Somatosensory area
Cortical somatosensory evoked potentials in response to hand stimulation, 855

Index

Somatosensory system
A quantitative evaluation of suture and tubulization nerve repair techniques, 574
Somatotropin
A mixed functional microadenoma and ganglioneuroma of the pituitary fossa. Case report, 416
Spasticity
Selective posterior rhizotomy for treatment of spasticity, 895
Sphenoethmoidal encephalocele
Sphenoethmoidal cephalocele with cleft palate: transpalatal versus transcranial repair. Report of two cases, 924
Sphenopharyngeal encephalocele
Sphenoethmoidal cephalocele with cleft palate: transpalatal versus transcranial repair. Report of two cases, 924
Spinal cord
Meningeal malignant fibrous histiocytoma arising from a thoracolumbar myelomeningocele. Case report, 593
Pressure-absorption responses to the infusion of fluid into the spinal cord central canal of kaolin-hydrocephalic cats, 198
Spinal evoked potentials from the motor tracts, 38
Variations of the vertebral artery. Letters, 972
Spinal cord blood flow
Control of blood flow in the cat spinal cord, 742
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 1: Oxygen metabolism and neuronal function, 516
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 2: Relation to segmental level, 526
Spinal cord blood vessel
Aminergic and cholinergic innervations of the spinal cord blood vessels of cats. A histochemical study, 900
Spinal cord compression
Tophaceous gout producing spinal cord compression. Case report, 580
Spinal cord injury
Clinical signs and evoked response alterations associated with chronic experimental cord compression, 734
Combined PGI_2, indomethacin, and heparin improves neurological recovery after spinal trauma in cats, 749
Effect of triiodo-L-thyronine on axonal regeneration in the rat spinal cord after acute compression injury, 406
Halo-thoracic brace immobilization in 188 patients with acute cervical spine injuries, 508
Rehabilitation of the neurologically disabled patient: principles, practice, and scientific basis, 799
Spinal subarachnoid hematoma after lumbar puncture causing reversible paraplegia in acute leukemia. Case report, 438
Uptake and elimination of methylprednisolone from contused cat spinal cord following intravenous injection of the sodium succinate ester, 538
Spinal cord metabolism
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 1: Oxygen metabolism and neuronal function, 516
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 2: Relation to segmental level, 526
Spinal evoked response
Clinical signs and evoked response alterations associated with chronic experimental cord compression, 734
Spinal puncture
Acute subdural hematoma and death following lateral cervical spinal puncture. Case report, 284
Spinal stenosis
Intraoperative myelography. Technical note, 786
Spinal tumor
Cervical intramedullary schwannoma. Case report, 962
Diastematomyelia and intramedullary epidermoid spinal cord tumor combined with extradural teratoma in an adult. Case report, 954
Preoperative chemotherapy and surgical resection in the management of posterior paraspinal tumors. Report of three cases, 446
Spinal vasodilatation
Control of blood flow in the cat spinal cord, 742
Spondylitis
Aspergillus infections of the lumbar disc spaces. Report of three cases, 270
Stem cell
Improved treatment of a brain-tumor model. Part 1: Advantages of single- over multiple-dose BCNU schedules, 177
Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
Stem cell studies of human malignant brain tumors. Part 1: Development of the stem cell assay and its potential, 170
Steroid, *see also* Dexamethasone
Uptake and elimination of methylprednisolone from contused cat spinal cord following intravenous injection of the sodium succinate ester, 538
Sturge-Weber syndrome
Leptomeningeal angiomatosis and aplasia congenita of the scalp. Case report, 937
Subarachnoid hematoma
Spinal subarachnoid hematoma after lumbar puncture causing reversible paraplegia in acute leukemia. Case report, 438
Subarachnoid hemorrhage
Acute hemorrhage into pituitary adenoma with SAH and anterior cerebral artery occlusion. Case report, 771
Aneurysms of the posterior inferior cerebellar artery. A clinical and anatomical analysis, 381
Anomalous branch of the internal carotid artery supplying circulation of the anterior cerebral artery. Case report, 941
Bilateral aneurysm formation developing from junctional dilatation (infundibulum) of the posterior communicating arteries. Case report, 117
Biphasic occurrence of delayed ischemia after early aneurysm surgery. Case report, 440
The blood-brain barrier following experimental subarachnoid hemorrhage. Part 1: Response to insult caused by arterial hypertension, 338
The blood-brain barrier following experimental subarachnoid hemorrhage. Part 2: Response to mercuric chloride infusion, 345
Cerebral arterial constriction after experimental subarachnoid hemorrhage is associated with blood components within the arterial wall, 18
Cerebral arterial pathology in experimental subarachnoid hemorrhage, 813
Delayed cerebral vasospasm is not reversible by aminophylline, nifedipine, or papaverine in a "two-hemorrhage" canine model, 11
Intracranial arterial aneurysms in children and adolescents, 832
Monitoring of antifibrinolytic therapy following subarachnoid hemorrhage. The importance of CSF fibrin/fibrinogen degradation products, 699
Observer variability in assessing the clinical features of subarachnoid hemorrhage, 57
Peripheral aneurysms of the cerebellar arteries. Review of 16 cases, 63
Regional cerebral blood flow in the acute stage of experimentally induced subarachnoid hemorrhage, 210
Traumatic intracranial aneurysm due to arterial injury at surgery. Case report, 291
Subclavian artery
Paroxysmal positional nystagmus in innominate and subclavian arterial occlusive disease. Case report, 443
Subdural empyema
Late seizures and morbidity after subdural empyema, 569
Subdural empyema and epidural abscess in children, 392
Subdural hematoma
Acute subdural hematoma and death following lateral cervical spinal puncture. Case report, 284
Factors affecting coagulation: fibrinolysis in chronic subdural fluid collections, 242
Parkinsonism due to subdural hematoma. Case report, 298

Sedimentation level in chronic subdural hematoma visible on computerized tomography, 246
Subdural hematoma associated with disseminated intravascular coagulation in patients with advanced cancer, 398
Subdural hygroma
Factors affecting coagulation: fibrinolysis in chronic subdural fluid collections, 242
Subdural pressure
A clinical comparison of subdural screw pressure measurements with ventricular pressure, 45
Superficial temporal artery
Anastomosis of the superficial temporal artery to the distal anterior cerebral artery with interposed cephalic vein graft. Case report, 425
Suprasellar cyst
Suprasellar epithelial cyst. Case report, 763
Suprasellar tumor
Suprasellar germinoma in association with Klinefelter's syndrome. Case report, 136
Surgical hemostasis
A new bipolar right-angled coagulation forceps for pituitary surgery. Technical note, 614
Syphilis
Multiple cerebral gummata. Case report, 959
Syringomyelia
Arnold-Chiari malformation. Review of 71 cases, 183
A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188

Tentorial herniation
The oval pupil: clinical significance and relationship to intracranial hypertension, 566
Tentorium
Developmental defects of the tentorium cerebelli, 402
Teratoma
Diagnosis and management of pineal tumors, 654
Diastematomyelia and intramedullary epidermoid spinal cord tumor combined with extradural teratoma in an ad[illegible]. Case report, 954
Intrasellar mixed germ-cell tumor. Case report, 766
Terminal ventricle
A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188
Third nerve palsy
Pupillary-sparing third nerve palsy due to aneurysm: a survey of 2419 neurological surgeons. Letter, 792
Thrombosis
Early versus delayed heparin reversal after carotid endarterectomy in the dog. A scanning electron microscopy study, 708
Thrombosed arteriovenous malformations. Letters, 457
Thromboxane
Inhibition by dipyridamole of cerebral vasospasm induced *in vitro* by whole blood, 352
Timing of surgery
Timing of surgery for intracerebral hematomas due to aneurysm rupture, 476
Tissue oxygen tension
Local blood flow, oxygen tension, and oxygen consumption in the rat spinal cord. Part 1: Oxygen metabolism and neuronal function, 516
Tophus
Tophaceous gout producing spinal cord compression. Case report, 580
Training awards
Report of the Research Subcommittee of the Joint Committee on Education of the American Association of Neurological Surgeons and the Congress of Neurological Surgeons. Letter, 150
Transitional cell carcinoma
Transient global amnesia associated with a single metastasis in the non-dominant hemisphere. Case report, 303
Transsphenoidal surgery
Avoidance of diabetes insipidus in transsphenoidal hypophysectomy. A modified technique of selective hypophysectomy, 682
Intrasellar epidermoid cyst. Case report, 411
Multiple secreting microadenomas as a possible cause of selective transsphenoidal adenomectomy failure. Case report, 267
Pituitary apoplexy treated by transsphenoidal surgery. A clinicopathological and immunocytochemical study, 315
Pregnancy following transsphenoidal resection of prolactin-secreting pituitary tumors, 685
Traumatic aneurysm
Traumatic intracranial aneurysm due to arterial injury at surgery. Case report, 291
Treatment evaluation
Agreement between physicians on assessment of outcome following severe head injury, 321
Trigeminal artery
Trigeminal artery to cavernous sinus fistula treated by balloon occlusion. Case report, 611
Trigeminal neuralgia
Quantitative analysis of lesion parameters in radiofrequency trigeminal rhizotomy, 388
Trimethaphan
Pharmacologically induced profound arterial hypotension in the anesthetized dog, 77
Tuber cinereum
Precocious puberty and hypothalamic hamartoma with total recovery after surgical treatment. Case report, 583
Tuberculoma
Giant calcified and ossified midbrain tuberculoma. Case report, 133
Tuberculous meningitis
Long-term indwelling brain cannula. Letter, 459
Tumor blood flow
Regional blood flow in RT-9 brain tumors, 863
Tumor model
Improved treatment of a brain-tumor model. Part 1: Advantages of single- over multiple-dose BCNU schedules, 177
Improved treatment of a brain-tumor model. Part 2: Sequential therapy with BCNU and 5-fluorouracil, 368
Regional blood flow in RT-9 brain tumors, 863
Regional blood-to-tissue transport in RT-9 brain tumors, 874

Ultrasound scanning
Management of intrauterine hydrocephalus. Letters, 793
Ultrasound sector scanning for the localization and biopsy of intracerebral lesions, 7
Ultrastructural study
Cerebral arterial constriction after experimental subarachnoid hemorrhage is associated with blood components within the arterial wall, 18
Early versus delayed heparin reversal after carotid endarterectomy in the dog. A scanning electron microscopy study, 708

Vascular pathology
Cerebral arterial constriction after experimental subarachnoid hemorrhage is associated with blood components within the arterial wall, 18

Index

Vascular system
Arterial blood supply of the normal human pituitary gland. An anatomical study, 678
Vasospasm
Biphasic occurrence of delayed ischemia after early aneurysm surgery. Case report, 440
Cerebral arterial constriction after experimental subarachnoid hemorrhage is associated with blood components within the arterial wall, 18
Cerebral arterial pathology in experimental subarachnoid hemorrhage, 813
Delayed cerebral vasospasm is not reversible by aminophylline, nifedipine, or papaverine in a "two-hemorrhage" canine model, 11
In vivo characterization of vasocontractile activities in erythrocytes, 356
Inhibition by dipyridamole of cerebral vasospasm induced *in vitro* by whole blood, 352
Intracranial arterial aneurysms in children and adolescents, 832
Peripheral aneurysms of the cerebellar arteries. Review of 16 cases, 63
Timing of surgery for intracerebral hematomas due to aneurysm rupture, 476
Vasospasm after pituitary surgery. Letter, 972
Vein graft
Anastomosis of the superficial temporal artery to the distal anterior cerebral artery with interposed cephalic vein graft. Case report, 425
Subclavian to distal vertebral artery bypass. Case report, 607
Ventricle
A critical appraisal of "terminal ventriculostomy" for the treatment of syringomyelia, 188
Intraventricular hemorrhage in severe head injury, 217
The role of intracranial hypotension in neonatal intraventricular hemorrhage, 204
Slit ventricle syndrome. Letter, 456
Ventricular pressure
A clinical comparison of subdural screw pressure measurements with ventricular pressure, 45
Ventriculocranial ratio
Intraventricular hemorrhage from ruptured aneurysm. Retrospective analysis of 91 cases, 482
Ventriculoperitoneal shunt
Intraventricular hemorrhage from ruptured aneurysm. Retrospective analysis of 91 cases, 482
Medulloblastoma: clinical presentation and management. Experience at the Hospital For Sick Children, Toronto, 1950–1980, 543
Vertebral artery
Acute subdural hematoma and death following lateral cervical spinal puncture. Case report, 284
Subclavian to distal vertebral artery bypass. Case report, 607
Variations of the vertebral artery. Letters, 972
Vertebrobasilar circulation
Endarterectomy for atheromatous hypoglossal artery. Case report, 935
Vertebrobasilar system
Paroxysmal positional nystagmus in innominate and subclavian arterial occlusive disease. Case report, 443
Subclavian to distal vertebral artery bypass. Case report, 607
Volume-pressure response
Effects of intravenous nitroglycerin on the intracranial pressure and volume pressure response, 562

Wallenberg's syndrome
Epidural hygroma of the posterior fossa. Case report, 586